

## Publication list for Jan Stenlid, Feb 2022.

### In international journals

#### 1985

1. Johansson, M. & Stenlid, J. 1985. Infection of roots of Norway spruce (*Picea abies*) by *Heterobasidion annosum*. I. Initial reactions in sapwood by wounding and infection. Eur. J. For. Path. 15:32-45.
2. Stenlid, J. 1985. Population structure of *Heterobasidion annosum* as determined by somatic incompatibility, sexual incompatibility, and isoenzyme patterns. Can. J. Bot. 63:2268-2273.
3. Stenlid, J. & Häggbom, P. 1985. Macromolecular syntheses in germinating conidia and basidiospores of *Heterobasidion annosum*. Trans. Br. mycol. Soc. 84:227-234.

#### 1986

4. Stenlid, J. 1986. Biochemical and ecological aspects of the infection biology of *Heterobasidion annosum*. Ph D Thesis, Swedish University of Agricultural Sciences.
5. Stenlid, J. & Wästerlund, I. 1986. Estimating the frequency of stem rot in *Picea abies* using an increment borer. Scand. J. For. Res. 1:303-308.

#### 1987

6. Stenlid, J. & Johansson, M. 1987. Infection of roots of Norway spruce (*Picea abies*) by *Heterobasidion annosum*. II. Early changes in phenolic content and toxicity. Eur. J. For. Path. 17:217-226.
7. Stenlid, J. 1987. Controlling and predicting the spread of *Heterobasidion annosum* from infected stumps and trees of *Picea abies*. Scand. J. For. Res. 2:187-198.

#### 1988

8. Stenlid, J. & Swedjemark, G. 1988. Differential growth of S- and P-isolates of *Heterobasidion annosum* in *Picea abies* and *Pinus sylvestris*. Trans. Br. mycol. Soc. 90:209-213.

#### 1989

9. Stenlid, J. & Rayner, A.D.M. 1989. Environmental and endogenous controls of developmental pathways: variation and its significance in the forest pathogen, *Heterobasidion annosum*. New Phytol. 113:245-258.

#### 1990

10. Dahlberg, A. & Stenlid, J. 1990. Population structure and dynamics in *Suillus bovinus* as reflected by spatial distributions of fungal clones. New Phytol. 115:487-493.
11. Kirby, J.J.H., Stenlid, J. & Holdenrieder, O. 1990. Population structure and responses to disturbance of the basidiomycete *Resinicium bicolor*. Oecologia 85:178-184.

#### 1991

12. Holmer, L. & Stenlid, J. 1991. Population structure and mating system in *Marasmius androsaceus*. New Phytol. 119:307-314.
13. Stenlid, J. & Holmer, L. 1991. Infection strategy of *Hymenochaete tabacina*. Eur. J. For. Pathol. 21:313-318.
14. Karlsson, J.-O. & Stenlid, J. 1991. Pectic isozyme profiles of intersterility groups in *Heterobasidion annosum*. Mycol. Res. 95:531-536.
15. Stenlid, J. & Karlsson, J.-O. 1991. Partial intersterility in *Heterobasidion annosum*. Intersterility in *Heterobasidion annosum*. Mycol. Res. 95:1153-1159.
16. Stenlid, J. & Rayner, A.D.M. 1991. Patterns of nuclear migration and heterokaryosis in pairings between homokaryons of *Heterobasidion annosum*. Mycol. Res. 95:1275-1283.
17. Wahlström, K., Karlsson, J.-O., Holdenrieder, O. & Stenlid, J. 1991. Pectinolytic activities and isozymes in European *Armillaria* species. Can. J. Bot. 69:2732-2739.

#### 1993

18. Hansen, E.M., Stenlid, J. & Johansson, M. 1993. Somatic incompatibility, partial heterokaryosis, and new nuclear combinations in *Heterobasidion annosum*. Mycol. Res. 97:1223-1228.
19. Hansen, E.M., Stenlid, J. & Johansson, M. 1993. Genetic control of somatic incompatibility in the root rotting basidiomycete *Heterobasidion annosum*. Mycol. Res. 97:1229-1233.

20. Holmer, L & Stenlid, J. 1993. The importance of inoculum size for the competitive ability of wood decomposing fungi. FEMS Microbiol. Ecol. 12:169-176.
21. Swedjemark, G. & Stenlid, J. 1993. Population dynamics of the root rot fungus *Heterobasidion annosum* following thinning of *Picea abies*. Oikos 66:247-254.

#### 1994

22. Bendz, M. & Stenlid, J. 1994. Longterm reduction in the diameter growth of butt rot affected Norway spruce, *Picea abies*. Forest Ecol. Manag. 74:239-243.
23. Dahlberg, A. & Stenlid, J. 1994. Size, distributions and biomass of genets in populations of *Suillus bovinus* revealed by somatic incompatibility. New Phytol. 128:225-234.
24. Holmer, L., Nitare, L. & Stenlid, J. 1994. Population structure and decay pattern of *Phellinus tremulae* in *Populus tremula* as determined by somatic incompatibility. Can J Bot. 72:1392-1395.
25. Stenlid, J. & Karlsson, J.-O. & Höglberg, N. 1994. Intraspecific genetic variation in *Heterobasidion annosum* revealed by amplification of mini satellite DNA. Mycol. Res. 98:57-63.

#### 1995

26. Swedjemark, G. & Stenlid, J. 1995. Susceptibility of conifer and broadleaf seedlings to Swedish S- and P-strains of *Heterobasidion annosum* under green house conditions. Plant Pathology 44:73-79.
27. Dahlberg, A. & Stenlid, J. 1995. Spatial and temporal structures of ectomycorrhizal populations. Can. J. Bot. 73 sup1 1222-1230.
28. Höglberg, N., Stenlid, J & Karlsson, J.-O. 1995. Genetic differentiation in *Fomitopsis pinicola* (Swarts:Fr.) Karst. studied by means of arbitrary primed PCR of minisatellite DNA. Molecul. Ecol. 4:675-680.
29. Vollbrecht, G., Johansson, U., Eriksson, H. & Stenlid, J. 1995. Butt rot development,yield and growth pattern in a tree species experiment in southwestern Sweden. Forest Ecol Manag. 76:87-93.

#### 1996

30. Holmer, L. & Stenlid, J. 1996. Diffuse competition among wood decay fungi. Oecologia 106:531-538.
31. Swedjemark, G. & Stenlid, J. 1996. Variation in spread of *Heterobasidion annosum* in clones of *Picea abies* grown at different vegetation phases. Scand. J. For Res. 11:137-144.
32. Vassiliauskas R, Stenlid J & Johansson M. 1996. Fungal flora of bark peeling wounds of *Picea abies* in central Sweden. Eur. J For Pathol. 26:285-296.

#### 1997

33. Bendz-Hellgren, M & Stenlid, J. 1997. Decreased volume growth of *Picea abies* in response to *Heterobasidion annosum* infection. Can. J. For. Res. 27:1519-1524.
34. Holmer, L. & Stenlid, J. 1997. Competitive hierarchies of wood decomposing basidiomycetes in artificial systems based on variable inoculum sizes. Oikos 79:77-84.
35. Holmer, L. & Stenlid, J. 1997. *Resinicum bicolor*: A potential control agent against *Heterobasidion annosum*. Eur J For Pathol 27:159-172.
36. Holmer, L. Renvall P & Stenlid, J. 1997. Selective replacement between species of wood rotting Basidiomycetes; a laboratory study. Mycol. Res 101:714-720.
37. Swedjemark, G. & Stenlid, J. 1997. Variation in growth of *Heterobasidion annosum* in sapwood and bark among cuttings of *Picea abies*. Can J Forest Res 27:711-715.
38. Thor, M., Bendz-Hellgren, M. & Stenlid, J. 1997. Sensitivity of the root rot antagonist *Phlebiopsis gigantea* spores to high temperature or pressure. Scand. J. For. Res. 12:356-361.
39. Vassiliauskas, R & Stenlid, J. 1997. Population structure and genetic variation in *Nectria fuckeliana*. Can. J. Bot. 75:1707-1713.

#### 1998

40. Bendz-Hellgren, M. and Stenlid, J. 1998. Effect of clear-cutting, and wood moisture content on the susceptibility of Norway spruce stumps to *Heterobasidion annosum*. Can. J. For. Res. 28(5):759-765.
41. Stenlid J & Vassiliauskas R. 1998. Genetic diversity within and among vegetative compatibility groups of *Stereum sanguinolentum*. Mol. Ecol. 7:1265-1274.
42. Swedjemark, G. Stenlid, J & Karlsson, B. 1998. Genetic variation among clones of *Picea abies* in resistance to growth of *Heterobasidion annosum*. Silva genetica 46, 6:369-374.
43. Vassiliauskas, R & Stenlid, J. 1998. Population structure and genetic variation in *Cylindrobasidium evolvens*. Mycol. Res. 102:1453-1458.
44. Vassiliauskas, R & Stenlid, J. 1998. Influence of spatial scale on population structure of *Stereum sanguinolentum* in Northern Europe. Mycol. Res. 102:93-98.

45. Vasiliauskas, R & Stenlid, J. 1998. Fungi inhabiting stems of *Picea abies* in a managed stand in Lithuania. Forest Ecology and Management 109:119-126.
46. Vasiliauskas, R & Stenlid, J. 1998. Spread of S and P groups of *Heterobasidion annosum* within stand and within trees of *Picea abies*. Can J For Res. 28:961-966
47. Vasiliauskas, R & Stenlid, J. 1998. Spread of *Stereum sanguinolentum* vegetative compatibility groups within a stand and within stems of *Picea abies*. Silva Fennica 32(3):1-9.
48. Vasiliauskas, R & Stenlid, J. 1998. Discoloration following bark stripping wounds on *Fraxinus excelsior*. Eur J For Pathol. 28:383-390.
49. Vasiliauskas, R, Stenlid, J & Thomsen, IM. 1998. Clonality and genetic variation in *Amylostereum aerolatum* and *A. chailletii* from northern Europe. New Phytologist. 139:751-758.

#### **1999**

50. Johannesson, H. & Stenlid, J. 1999. Molecular identification of wood-inhabiting fungi from a primeval forest in Sweden. Forest Ecol. Manag. 115:203-211.
51. Asiegbu, FO, Johansson, M & Stenlid, J. 1999. Reactions of *Pinus sylvestris* (Scots pine) root tissues to the presence of mutualistic, saprotrophic and necrotrophic micro-organisms. J. Phytopathology 147:257-264.
52. Bendz-Hellgren, M, Brandtberg, P-O, Johansson, M Stenlid, J & Swedjemark, G. 1999. Growth rate of *Heterobasidion annosum* in *Picea abies* established on forest land and arable land. Scand J For Res. 14:402-407.
53. Swedjemark, G Johannesson, H, & Stenlid, J. 1999. Intraspecific variation in *Heterobasidion annosum* for growth in sapwood of *Picea abies* and *Pinus sylvestris*. Eur.J For. Pathol. 29:249-258.
54. Vasiliauskas, R & Stenlid, J. 1999. Vegetative compatibility groups of *Amylostereum aerolatum* and *A. chailletii* from Sweden and Lithuania. Mycol. Res. 103:824-829.
55. Vollbrecht G & Stenlid, J. 1999. Transfer of *Heterobasidion annosum* from old-growth stumps of *Picea abies* to *Picea abies* and *Larix × eurolepis*. Eur J For Pathol. 29:153-159.
56. Höglberg, N & Stenlid, J. 1999. Conservation genetics of *Fomitopsis rosea* - a wood decay fungus of the old-growth European taiga. Molecular Ecology Molecul. Ecol. 8: 703-710.
57. Höglberg, N, Holdenrieder, O & Stenlid, J. 1999. Population structure of the wood decay fungus *Fomitopsis pinicola*. Heredity 83: 354-360.
58. Larsen, M & Stenlid, J. 1999. Neotyphification of *Phellinus chrysoloma*. Folia Cryptogamica Estonica 34:9-13.
59. Lindahl, B, Stenlid, J, Olsson, S & Finlay, R. 1999. Interactions between ectomycorrhizal fungi and wood decomposing fungi. New Phytologist 144: 183-193.
60. Vasiliauskas, R, Johannesson, H & Stenlid, J. 1999. Molecular relationships within the genus *Amylostereum* as determined by internal transcribed spacer sequences of the ribosomal DNA. Mycotaxon 71:155-161.
61. Asiegbu, F, Kacprzak, M, Daniel, G, Johansson, J Stenlid, J & Manka, M. 1999. Biochemical interactions of conifer seedling roots with *Fusarium* spp. Can. J. Microbiol. 45:923-935.

#### **2000**

62. Johannesson, H, Renvall, P & Stenlid, J. 2000. Taxonomy of the genus *Antrodiella* (Basidiomycetes) inferred from morphological and molecular data. Mycological Research 104:92-99.
63. Johannesson, H, Laessö, T & Stenlid, J. 2000. Molecular and morphological investigation of the genus *Daldinia* from Northern Europe. Mycological Research 104:275-280.
64. Johannesson, H, Johannesson, H & Stenlid, J. 2000. Development of primer sets to amplify fragments of conserved genes for systematic and population studies in the genus *Daldinia*. Molecular Ecology 9:375-378.
65. Iakovlev, A & Stenlid, J. 2000. Spatiotemporal patterns of laccase activity in interacting mycelia of wood-decaying basidiomycete fungi. Microbial Ecology 39:236-245.
66. Köljalg U, Dahlberg A, Taylor A F S, Larsson E, Hallenberg N, Stenlid J, Larsson, K-H, Fransson P M, Karen O, Jonsson L. 2000. Diversity and abundance of tomentelloid fungi in Swedish boreal forests. Molecular Ecology 9:1985-1996.
67. Stenlid, J. 2000. Variation with and without sex in mycorrhizal fungi. Oikos. 90:609-611.

#### **2001**

68. Kacprzak, M, Asiegbu, FO, Daniel, G, Stenlid, J, Manka, M & Johansson, M. 2001. Resistance reaction of conifer species (European larch, Norway spruce, Scots pine) to infection by selected necrotrophic damping-off pathogens. Eur J Plant Patol 107:191-207.

69. Svensson M, Lundgren LN, Woods C, Fatehi J and Stenlid J. 2001. Pyrone and pyridone compounds in the liquid culture of *Physisporinus sanguinolentus*. *Phytochemistry* 56:747-751.
70. Swedjemark, G. & Stenlid, J. 2001. Highly diverse population of *Heterobasidion annosum* in a single stump of *Picea abies*. *Mycological Research* 105:183-189.
71. Stenlid, J & Gustafsson, M. 2001. Are rare wood decay fungi threatened by lack of substrate or inability to spread? *Ecol. Bull.* 49:85-91.
72. Swedjemark, G, Stenlid, J and Karlsson, B. 2001. Variation in growth of *Heterobasidion annosum* among clones of *Picea abies* incubated for different periods of time. *Forest Pathology* 31:163-175.
73. Vasiliauskas R & Stenlid J. 2001. Homothallism in *Rhizina undulata*. *Mycologia* 93:447-452.
74. Johannesson, H, Gustafsson, M & Stenlid, J. 2001. Local population structure of the wood decay ascomycete *Daldinia loculata*. *Mycologia*. 93:440-446.
75. Johannesson, H, Vasiliauskas, R, Dahlberg, A, Penttilä, R & Stenlid, J. 2001. Genetic differentiation in Eurasian populations of the postfire ascomycete *Daldinia loculata*. *Molecular Ecology* 10:1665-1677.
76. Olson, Å & Stenlid, J. 2001. Virulence of *Heterobasidion annosum* S-P hybrids is determined by mitochondria. *Nature* 411:438
77. Ihrmark, K, Zheng, J, Stenström, E & Stenlid, J. 2001. Presence of double-stranded RNA in *Heterobasidion annosum*. *Forest Pathology* 31:387-394
78. Lindahl, B, Stenlid, J & Finlay, R. 2001. Effects of resource availability on mycelial interactions and <sup>32</sup>P-transfer between a saprotrophic and an ectomycorrhizal fungus in soil microcosms. *FEMS Microbiology Ecology* 38:43-52.
79. Vasiliauskas, R, Juška, E, Stenlid, J & Vasiliauskas, A. 2001. Clonal differences and relations between diameter growth, stemcracks and fungi in a 36-year-old clonal seed orchard of Norway spruce (*Picea abies* (L.) Karst.). *Silva Genetica* 50:227-233.

## 2002

80. Vasiliauskas, R, Juška, E, Vasiliauskas, A & Stenlid, J. 2002. Community of *Aphyllophorales* in stumps of Norway spruce (*Picea abies* (L.) Karst.) on clear-felled forest sites in Lithuania. *Scand. J For. Res.* 17:398-407.
81. Johannesson, H, Ihrmark, K & Stenlid, J. 2002. Differential decay extension capability of *Daldinia* spp. in wood of *Betula pendula*, *Alnus glutinosa* and *Fraxinus excelsior*. *For Ecol Manag.* 167:295-302.
82. Ihrmark, K, Johannesson, H, Stenström, E & Stenlid, J. 2002. Transmission of double-stranded RNA in *Heterobasidion annosum*. *Fung Gen Biol.* 36:147-154.
83. Olsson Å & Stenlid J. 2002. Pathogenic fungal species hybrids infecting plants. *Microbes and Infection* 4:1353-1359.
84. Kacprzak, M Asiegbu, FO, Daniel, G, Manka, M & Stenlid, J. 2002. In vitro Scots pine seedling root colonisation by damping-off fungi in the presence of a *Trichoderma harzianum* isolate. *Phytopathology Poland* 23:5-15.

## 2003

85. Karlsson, M, Olson, Å & Stenlid, J. 2003. Expressed sequences from the basidiomycetous tree pathogen *Heterobasidion annosum* during early infection of Scots pine. *Fungal Genetics and Biology* 39:51-59
86. Sicoli, G, Fatehi, J & Stenlid, J. 2003. Development of species-specific PCR primers on rDNA for the identification of European *Armillaria* species. *Forest Pathology* 33, 287-297
87. Guidot A, Johannesson H, Dahlberg, A & Stenlid, J. 2003. Parental tracking in the postfire wood decay ascomycete *Daldinia loculata* using highly variable nuclear gen loci. *Molecular Ecology* 12:1717-1730.
88. Johannesson H & Stenlid J. 2003. Molecular markers reveal genetic isolation and phylogeography of the S and F intersterility groups of the wood-decay fungus *Heterobasidion annosum*. *Molecular Phylogenetics and Evolution* 29:94-101
89. Iakovlev, A, Broberg, A & Stenlid, J. 2003. Fungal modification by wood-decaying fungi of the hydroxyl radical detector coumarin-3-carboxylic acid. *FEMS Microbiol Ecology* 46(2):197-202
90. Edman, M, Gustafsson, M, Stenlid, J & Ericson, L. 2004. Abundance and viability of fungal spores along a forestry gradient - responses to habitat loss and isolation? *Oikos* 104:35-42

## 2004

91. Lygis V., Vasiliauskas R. & Stenlid J. 2004. Planting *Betula pendula* on pine sites infested by *Heterobasidion annosum*: disease transfer, silvicultural evaluation, and community of wood-inhabiting fungi. *Canadian Journal of Forest Research* 34:120-130.
92. Vasiliauskas, R, Vasiliauskas, A, Stenlid, J and Matelis, A. 2004. Dead trees and protected polypores in unmanaged north-temperate forest stands of Lithuania. *Forest Ecology and Management* 193:355-370.

93. Edman, M, Gustafsson M, Stenlid, J, Jonsson, B.G, Ericson, L. 2004. Spore deposition of wood-decaying fungi –Importance of landscape composition. *Ecography* 27:103-111.
94. Ihrmark, K, Stenström, E & Stenlid, J. 2004. Double-stranded RNA transmission through basidiospores of *Heterobasidion annosum*. *Mycological Research* 108:149-153.
95. Kasanen, R, Hantula, J, Vuorinen, M, Stenlid, J, Solheim, H and Kurkela, T. 2004. The genetic population structure of *Venturia tremulae*, the causative agent of aspen shoot blight suggests high migrational capacity. *Mycological Research* 108:64-70.
96. Asiegbu, FO, Abu, S, Stenlid J & Johansson MJ. 2004. Sequence polymorphism and molecular characterization of laccase genes of the conifer pathogen *Heterobasidion annosum*. *Mycological Research* 108:136-148.
97. Johannesson, H & Stenlid, J. 2004. Nuclear reassortment between vegetative mycelia in natural populations of the basidiomycete *Heterobasidion annosum*. *Fungal Genetics and Biology* 41:563-570.
98. Pohanka, A, Capieau, K, Broberg, A, Stenlid, J, Stenström, E and Kenne, L. 2004. Enniatins produced by the *Fusarium* sp. Strain F31, an inhibitor of *Botrytis cinerea* spore germination. *Journal of Natural Products* 67:851-857.
99. Menkis, A, Allmér, J, Vasiliauskas, R, Lygis, V, Stenlid, J and Finlay, R. 2004. Ecology and molecular characterization of dark septate fungi from roots, live stems, coarse and fine woody debris. *Mycological Research* 108: 965-973
100. Lygis V., Vasiliauskas R., Stenlid J. & Vasiliauskas A. 2004. Silvicultural and pathological evaluation of Scots pine plantations, established to avoid the infections by *Heterobasidion annosum*. *Forest Ecology and Management* 201:275-285.
101. Capieau, K, Stenlid, J and Stenström, E. 2004. Potential for biological control of *Botrytis cinerea* in *Pinus sylvestris* seedlings. *Scand J For Res* 19:312-319.
102. Vasiliauskas R., Lygis V., Thor M. & Stenlid J. 2004. Impact of biological (Rotstop®) and chemical (urea) treatments on fungal community structure in freshly cut *Picea abies* stumps. *Biological Control* 31:405-413.
103. Iakovlev A., Olson Å., Elfstrand M. and Stenlid J. 2004. Differential gene expression during interactions between *Heterobasidion annosum* and *Physisporinus sanguinolentus*. *FEMS Microbiology Letters* 241:79-85.

## 2005

104. Pautasso, M, Holdenrieder, O & Stenlid, J. 2005. Susceptibility to fungal pathogens of forests differing in tree diversity. *Ecological Studies* 176:263-289.
105. Pukkala, T, Möykkynen, T, Thor, M, Rönnberg J & Stenlid J. 2005. Modelling infection and spread of *Heterobasidion annosum* in Fennoscandian conifer stands. *Can. J For Res.* 35:74-84.
106. Vasiliauskas R., Larsson E., Larsson K-H., Stenlid J., 2005. Persistence and long-term impact of Rotstop® biological control agent on mycodiversity in *Picea abies* stumps. *Biological Control* 32:295-304.
107. Berglund, M Rönnberg, J Holmer L and Stenlid J. 2005. Comparison of the effectiveness of five strains of *Phlebiopsis gigantea* and two *Trichoderma* formulations against natural *Heterobasidion* spore infections on Norway spruce stumps. *Scand J For Res* 20:12-17
108. Gure, A, Wahlström, K & Stenlid J. 2005. Impacts of seed-borne fungi on seed germination and seedling survival in *Podocarpus falcatus*. *Forest Pathology* 35:23-35.
109. Asiegbu, F & Stenlid, J. 2005. Obituary: Martin Sten Johansson 1930-2004. *For. Path.* 35:73-74.
110. Vasiliauskas R., Lygis V., Larsson K-H. & Stenlid J. 2005. Airborne fungal colonisation of coarse woody debris in north-temperate forest: impact of season and local spatial scale. *Mycological Research* 109:487-496.
111. Olson, Å, Lind M and Stenlid J. 2005. Genetic analysis of virulence in *Heterobasidion annosum*, causal agent of conifer root rot. *Forest Pathology* 35:325-331.
112. Lind, M, Olson, Å and Stenlid, J. 2005. An AFLP-markers based genetic linkage map of *Heterobasidion annosum* locating three intersterility genes. *Fungal Genetics and Biology* 42:519-527.
113. Thor, M, Ståhl, G and Stenlid, J. 2005. Root Rot Incidence, Correlation with environmental conditions, and potential for predicting stand decay levels. *Scand J For Res* 20:165-176
114. Thor, M & Stenlid J. 2005. *Heterobasidion annosum* infection following mechanized first thinning and stump treatment in *Picea abies*. *Scand J For Res.* 20:154-164.
115. Asiegbu, F, Adomas, A & Stenlid, J. 2005. Conifer root and butt rot caused by *Heterobasidion annosum* (Fr.) Bref. sensu lato. *Mol Plant Pathol.* 6:395-409.
116. Gure A, Slippers, B & Stenlid, J. 2005. Seed-borne *Botryosphaeria* spp. From native *Prunus* and *Podocarpus* in Ethiopia, with a description of the anamorph *Diplodia rosulata* sp. Nov. *Mycol. Res.* 109 (9): 1005–1014.

- 117.Lygis, V., Vasiliauskas, R. & Stenlid, J. 2005. Clonality in the postfire root rot ascomycete *Rhizina undulata*. *Mycologia* 97:788-792.
- 118.Karlsson, M, Olson, Å and Stenlid, J. 2005. Identification of a superoxide dismutase gene from the conifer pathogen *Heterobasidion annosum* and its infection-related regulation. *Physiological and Molecular and Plant Pathology* 66:99-107.
- 119.Menkis, A, Vasiliauskas, R, Taylor, AFS, Stenlid, J and Finlay, RD. 2005. Fungal communities in mycorrhizal roots of conifer seedlings in forest nurseries under different cultivation systems, assessed by morphotyping, direct sequencing and mycelial isolation. *Mycorrhiza* 16:33-41.
- 120.Slippers, B, Stenlid, J and Wingfield, MJ. 2005. Emerging pathogens: fungal host jumps following anthropogenic introduction. *Trends in Evolution and Ecology* 20:420-421.
- 121.Lygis, V, Vasiliauskas, R, Larsson, K-H & Stenlid, J. 2005. Wood-inhabiting fungi in stems of *Fraxinus excelsior* in declining ash stands of northern Lithuania, with particular reference to *Armillaria cepistipes*. *Scand J For Res* 20: 337-346.

## 2006

- 122.Jurc D, Ogris N, Slippers B & Stenlid J. 2006. First report of *Eutypella* canker of Maple in Europe. *Plant Pathology* 55:577-577.
- 123.Friman, W, Nikkari, S, Stenlid, J, Chryssanthou, E & Petrini, B. 2006. Disseminated deadly basidiomycosis by *Merulius tremellosus*. *Scand J Inf Diseases* 38:76-78.
- 124.Menkis A, Vasiliauskas R, Taylor A.F.S., Stenström E, Stenlid J, and Finlay RD. 2006. Fungi in decayed roots of conifer seedlings in forest nurseries, afforested clear-cuts and abandoned farmland. *Plant Pathology* 55:117-129.
- 125.Samils N, Elfstrand M, Lindner-Czederpiltz DL, Fahleson J, Olson Å, Dixielius C and Stenlid J. 2006. Development of a rapid and simple *Agrobacterium tumefaciens*-mediated transformation system for the fungal pathogen *Heterobasidion annosum*. *FEMS Microbiology Letters* 255:82-88.
- 126.Allmér J, Vasiliauskas R, Ihrmark, K, Stenlid J, & Dahlberg A. 2006. Wood-inhabiting fungal communities in woody debris of Norway spruce (*Picea abies* (L.) Karst.), as reflected by sporocarps, mycelial isolations and T-RFLP-identification. *FEMS Microbiology Ecology* 55:57-67.
- 127.Lämås T, Bo DL, Olsson H, Sallnäs O, Stenlid J, Ståhl G. 2006. Selected results from the first phase of the Heureka research programme. *Scandinavian Journal of Forest Research* 21: 3-4 Suppl. 7
- 128.Franzén, I, Slippers, B, Vasiliauskas, R & Stenlid, J. 2006. Development of microsatellite markers for the red-listed wood-decay fungus *Phlebia centrifuga*. *Molecular Ecology Notes* 6:170-182.
- 129.Thor M, Arlinger JD & Stenlid J. 2006. *Heterobasidion annosum* root rot in *Picea abies* – modelling the economic outcomes of stump treatment in Scandinavian coniferous forests. *Scand J For Res* 21: 414-423.

## 2007

- 130.Lindahl BD Ihrmark K Boberg J Trumbore SE Höglberg P Stenlid J and Finlay RD. 2007. Spatial separation of litter decomposition and mycorrhizal nitrogen uptake in a boreal forest. *New Phytologist* 173: 611-620.
- 131.Johansson, T, Hjältén, J, Gibb H, Hilszczanski, J, Stenlid, J., Ball, JP, Alinvi, O, and Danell, K. 2007. Variable response of different functional groups of saproxylic beetles to substrate manipulation and forest management: Implications for conservation strategies. *Forest Ecology and Management* 242:496-510.
- 132.Karlsson M, Olson, Å and Stenlid,J. 2007. Two hydrophobin genes from the conifer pathogen *Heterobasidion annosum* are expressed in aerial hyphae. *Mycologia* 99:227-231.
- 133.Vasiliauskas R Menkis A Finlay RD and Stenlid J. 2007. Wood-decay fungi in fine living roots of conifer seedlings. *New Phytologist* 174:441-446.
- 134.Menkis A, Vasiliauskas, R, Taylor, AFS, Stenlid, J & Finlay,R. 2007. Afforestation of abandoned farmland with conifer seedlings inoculated with three ectomycorrhizal fungi. *Mycorrhiza* 17:337-348.
- 135.Heyman, F, Lindahl, BD & Stenlid, J. 2007. Influence of calcium on soil suppressiveness against Aphanomyces root rot of pea. *Soil Biology & Biochemistry* 39:2222-2229.
- 136.Lind M, Dalman, K, Stenlid J, Karlsson B and Olson Å. 2007.Identification of quantitative trait loci affecting virulence in the basidiomycete *Heterobasidion annosum s. l.* *Current Genetics* 52:35-44.
- 137.Franzén F, Vasiliauskas R, Penttilä R & Stenlid J. 2007. Population genetics of the wood decay fungus *Phlebia centrifuga* P.Karst. in fragmented and continuous habitats. *Molecular Ecology* 16:3326-3333.
- 138.Karlsson, M, Hietala, AM, Kvaalen, H, Solheim, H, Olson, Å, Stenlid, J & Fossdal, CG. 2007. Infection-related transcriptional responses from the interaction of Norway spruce callus tissue and the pathogenic fungus *Heterobasidion parviporum*. *Physiological and Molecular Plant Pathology* 70:99-109.

139. Swedjemark, G, Karlsson B, and Stenlid, J. 2007. Exclusion of the pathogen and induced resistance among *Heterobasidion annosum* inoculated clones of *Picea abies*. *Scand J For Res* 22:110-117.
140. Lind, M, Stenlid, J & Olson, Å. 2007. Genetics and QTL mapping of somatic incompatibility and intraspecific interactions in the basidiomycete *Heterobasidion annosum*. *Fungal Genetics and Biology* 44:1242-1251.
141. Adomas, A, Heller, G, Li, G, Olson, Å, Chu, T-M, Graig, D, Osborne, D, Van Zyl, L, Wolfinger, R, Sederoff, R, Dean, R, Stenlid, J, Finlay, RD & Asiegbu, FO. 2007. Transcript profiling of conifer pathosystem: response of *Pinus sylvestris* root tissues to pathogen (*Heterobasidion annosum*) invasion. *Tree Physiology* 27:1441-1458.

## 2008

142. Boberg J, Finlay RD, Stenlid J, Näsholm T, and Lindahl BD. 2008. Glucose and ammonium additions affect needle decomposition and carbon allocation by the litter degrading fungus *Mycena epipterygia*. *Soil Biology and Biochemistry*. 40:995-999.
143. Karlsson, M, Elfstrand, M, Stenlid, J & Olson, Å. 2008. A fungal cytochrome P450 is expressed during the interaction between the fungal pathogen *Heterobasidion annosum* sensu lato and conifer trees. *Mitochondrial DNA* 19:115-120.
144. Karlsson M, and Stenlid J. 2008. Comparative evolutionary histories of the fungal chitinase gene family reveal non-random size expansions and contractions due to adaptive natural selection. *Evolutionary Bioinformatics* 2008:4 47-60.
145. Heller, G, Adomas, A, Li, G, Osborne, J, van Zyl, L, Sederoff, R, Finlay, RD, Stenlid, J, Asiegbu, FO. 2008. Transcriptional analysis of *Pinus sylvestris* roots challenged with the ectomycorrhizal fungus *Laccaria bicolor*. *BMC Plant Biology* 2008 8:19.
146. Vasaitis, R., Stenlid, J., Thomsen, I. M., Barklund, P. & Dahlberg, A. 2008. Stump removal to control root rot in forest stands. A literature study. *Silva Fennica* 42(3): 457–483.
147. Van der Nest, M, Slippers, B, Stenlid, J, Wilken,M, Vasaitis, R, Wingfield, MJ, Wingfield, BD. 2008. Characterization of the systems governing sexual and self recognition in the white rot homobasidiomycete *Amylostereum areolatum*. *Current Genetics* 53:323-336.
148. Oliva, J., Samils, N, Johansson, U., Bendz-Hellgren, M., Stenlid, J. 2008 Urea treatment reduces *Heterobasidion annosum* s. l. root rot in *Picea abies* after 15 years. *Forest Ecology and Management*. 255:2876-2882.
149. Samils N, Å. Olson, A and Stenlid J. 2008. The capacity in *Heterobasidion spp.* to resist overgrowth by the biocontrol agent *Phlebiopsis gigantea* is a heritable trait. *Biological Control* 45: 419-426.
150. Adomas, A Heller, G Olson, Å Osborne, J Karlsson, M Nahalkova, J Van Zyl, L Sederoff, R Stenlid, J Finlay, RD, Asiegbu FO. 2008. Comparative analysis of transcript abundance in *Pinus sylvestris* roots after challenge with a saprotrophic, pathogenic or mutualistic fungus. *Tree Physiology* 28:885-897.
151. Lundén K, Stenlid J, Finlay, RD, Asiegbu FO. 2008. Heterologous array analysis in *Heterobasidion*: Hybridisation of cDNA arrays with probe from mycelium of S, P or F-types. *Journal of Microbiological Methods* 75:219-224.
152. James TY Stenlid J Olson Å, Johannesson H. 2008. Evolutionary significance of imbalanced nuclear ratios within heterokaryons of the basidiomycete fungus *Heterobasidion parviporum*. *Evolution* 62: 2279-2296
153. Vasaitis R, Menkis A, Woon Lim Y, Tomsovsky M, Jankovsky L, Lygis V, Slippers B, and Stenlid J. 2008. Genetic variation and relationships in *Laetiporus sulphureus* sensu lato, as determined by ITS rDNA sequences and *in vitro* growth rate. *Mycological Research* 113:326-336.
154. Bakys, R. Vasaitis, R, Barklund, P, Ihrmark K and Stenlid, J. 2008. Investigations concerning the role of *Chalara fraxinea* in declining *Fraxinus excelsior*. *Plant Pathology* 58:284-292
155. Bidartondo MI, Bruns TD, Blackwell M, ... Stenlid,J...et al. 2008. Preserving accuracy in GenBank. *SCIENCE* 319 (5870): 1616

## 2009

156. Bakys, R. Vasaitis, R. Barklund, P, Thomsen IM and Stenlid, J. 2009. Occurrence and pathogenicity of fungi in necrotic and non-symptomatic shoots of declining *Fraxinus excelsior* in Sweden. *European Journal of Forest Research* 128:51-60
157. Karlsson, M and Stenlid J. 2009. Evolution of microbial family 18 glycoside hydrolases (chitinases). *Journal of Molecular Microbiology and Biotechnology*. 16:208-223
158. Samils, N, Vasaitis, R and Stenlid, J. 2009. Impact of the biological control agent *Phlebiopsis gigantea* on its resident genetic structure in the Baltic Sea area. *Biological Control Science and Technology* 19:263-276.

159. Liu, A-Z, Samils, N, Higgins, B, Stenlid, J, Slippers, B, Nairn, CJ and Covert SF. 2009. Microsatellite markers for the wood decay fungus *Phlebiopsis gigantea*. *Conservation Genetics* 10:1529-1532.
160. Allmér, J Stenlid, J and Dahlberg, A. 2009. Logging-residue extraction does not reduce the diversity of litter-layer saprotrophic fungi in three Swedish coniferous stands after 25 years. *Canadian Journal of Forest Research* 39:1737-1748.
161. Van der Nest, MA, Slippers, B Steenkamp, ET, De Vos, L, Van Zyl, K, Stenlid, J, Wingfield, MJ and Wingfield BD. 2009. Genetic linkage map for *Amylostereum areolatum* reveals an association between vegetative growth and sexual and self recognition. *Fungal Genetics and Biology* 46:632-641.
162. Persson, Y, Vasaitis, R, Långström, B, Öhrn, P, Ihrmark, K and Stenlid, J. 2009. Fungi vectored by the bark beetle *Ips typographus* following hibernation under the bark of standing trees, and in the forest litter. *Microbial Ecology* 58:651-659.

## 2010

163. Boberg J, Finlay RD, Stenlid J, Lindahl BD. 2010. Fungal C translocation reduces N-mineralization. *Fungal Ecology*: 24:454-459
164. Lygis, V, Vasiliauskite, I, Stenlid, J and Vasaitis, R. 2010. Impact of forest fire on persistence of *Heterobasidion annosum* s.s. root rot and on diversity of wood-inhabiting fungi in roots of *Pinus mugo*. *Forestry* 83:83-92.
165. Andersson, P, Johansson, S, Stenlid, J and Broberg, A. 2010. Isolation, identification and necrotic activity of viridiol from *Chalara fraxinea*, the fungus responsible for dieback of ash. *Forest Pathology* 40:434-46
166. Johansson, SBK, Vasaitis, R Ihrmark, K. Barklund, P and Stenlid. J. 2010. Detection of Chalara fraxinea from tissue of *Fraxinus excelsior* using species specific ITS primers. *Forest Pathology* 40:111-115.
167. Ihrmark, K, Asmail, N, Ubhayasekera, W, Melin, P, Stenlid J and Karlsson M. 2010. Comparative molecular evolution of *Trichoderma* chitinases in response to mycoparasitic interactions. *Evolutionary Bioinformatics*, 6:1-26
168. Arnerup, J, Swedjemark G, Elfstrand,M, Karlsson, B and Stenlid J. 2010. Variation in growth of *Heterobasidion parviporum* in a full-sib family of *Picea abies*. *Scandinavian Journal of Forest Research* 25:106-110.
169. Dalman K., Olson Å., Stenlid J. 2010. Evolutionary history of the conifer root rot fungus *Heterobasidion annosum* sensu lato. *Molecular Ecology*, 19:4979-4993
170. Oliva Palau J., Thor M., Stenlid J. 2010. Reaction zone and periodic increment decrease in *Picea abies* trees infected by *Heterobasidion annosum* s.l. *Forest Ecology and Management*, 260: 692-698
171. Oliva, J., Thor, M., Stenlid, J. 2010. Long term effects of mechanized stump treatment against *Heterobasidion annosum* s.l. root rot in *Picea abies*. *Can. J. Forest Res.* 40, 1020-1033.

## 2011

172. Oliva, J., Bendz-Hellgren, M., Stenlid, J., 2011. Spread of *Heterobasidion annosum* s.s. and *Heterobasidion parviporum* in *Picea abies* 15 years after stump inoculation. *FEMS Microbiology Ecology* 75, 414-429.
173. Bakys R, Vasiliauskas A, Ihrmark K, Stenlid, J, Menkis, A, Vasaitis, R. 2011. Root rot, associated fungi and their impact on health condition of declining *Fraxinus excelsior* stands in Lithuania. *Scandinavian Journal of Forest Research* 26:128-135.
174. Oliva J, Gonthier, P and Stenlid J. 2010. Differential intersterility pattern of the fungus *Heterobasidion parviporum* may result from the past fragmentation of host population. *Forest Pathology*. 41:243-252
175. Oliva J and Stenlid, J. 2011. Validation of the Rotstand model for simulating *Heterobasidion annosum* root rot in *Picea abies* stands. *Forest Ecology and Management*. 261:1841-1851.
176. Njuguna, JW, Barklund, P, Ihrmark, K , Stenlid J. 2011. A canker and dieback disease is threatening the cultivation of *Grevillea robusta* on small-scale farms in Kenya. *African Journal of Agricultural Research* 6: 748 - 756
177. Boberg, J, Näsholm, T, Stenlid, J, Finlay, R, Lindahl, B. 2011. N availability affects saprotrophic basidiomycetes degrading pine needles in a long term laboratory study. *Fungal Ecology* 4:406-416.
178. Stenlid, J, Oliva, J, Boberg, J, Hopkins, A. 2011. Emerging diseases in European forest ecosystems and responses in society. *Forests* 2:486-504.
179. Persson, Y, Ihrmark, K, Stenlid, J. 2011. Do bark beetles facilitate the establishment of rot fungi in Norway spruce? *Fungal Ecology* 4:262-269.
180. Nilsson, H, Tedersoo L, Lindahl B, Kjøller R, Carlsen T, Quince C, Abarenkov K, Pennanen T, Stenlid J, Bruns T, Larsson K-H, Köljalg U, Kauserud H. 2011. Towards standardization of the description and

- publication 1 of next-generation sequencing datasets of fungal communities. *New Phytologist* 191:314-318.
181. Oliva J Romeralo C, Stenlid, J. 2011. Accuracy of the Rotfinder instrument in detecting decay on Norway spruce (*Picea abies*) trees. *Forest Ecology and Management* 262: 1378-1386.
  182. Arhipova, N, Gaitnieks, T, Donis, J, Stenlid, J, Vasaitis, R. 2011. Decay, yield loss and associated fungi in stands of grey alder (*Alnus incana*) in Latvia. *Forestry* 84:337-348.
  183. Lindner DL, Vasaitis, R, Kubartova A, Allmer J, Johannesson H, Banik MT, Stenlid J. 2011. Initial fungal colonizer affects mass loss and fungal community development in *Picea abies* logs 6 yr after inoculation. *Fungal Ecology* 4:449-460
  184. Samils, B, Rönnberg-Wästljung, A-C, Stenlid, J. 2011. QTL mapping of resistance to leaf rust in *Salix*. *Tree Genetics and Genomes*. 7:1219-1235
  185. Eastwood, DC, Floudas, D, Binder, M, Majcherczyk, A, Schneider, P, Aerts, A, Asiegbu, FO, Baker, SE, Barry, K, Bendiksby, M, Blumentritt, M Coutinho, PM, Cullen, D, de Vries, RP, Gathman, A, Goodell, B, Henrissat, B, Ihrmark, K, Kauserud, H, Kohler, A, LaButti, K, Lapidus, A, Lavin, JL, Lee, Y-H, Lindquist, E, Lilly, W, Lucas, L, Morin, E, Murat, C, Oguiza, JA, Park, J, Pisabarro, AG, Riley, R, Rosling, A, Salamov, A, Schmidt, O, Schmutz, J, Skrede, I, Stenlid J, Wiebenga A, Xie, X Kües, U, Hibbett, DS, Hoffmeister, D, Höglberg, N, Martin F, Grigoriev IV, Watkinson, SC. 2011. The Plant Cell Wall-Decomposing Machinery Underlies the Functional Diversity of Forest Fungi. *Science* 333, 762-765.
  186. van der Nest, MA Steenkamp, ET Slippers, B. Mongae, A. van Zyl, K Stenlid, J, Wingfield, MJ Wingfield BD. 2011. Gene expression associated with vegetative incompatibility in *Amylostereum areolatum*. *Fungal Genetics and Biology*, 48:1034-1043
  187. Arnerup, J, Lind, M, Olson, Å, Stenlid, J, Elfstrand, M. 2011. The pathogenic white-rot fungus *Heterobasidion parviporum* triggers non-specific defence responses in the bark of Norway spruce. *Tree Physiology* 31:1262-1272
  188. Arhipova N., Gaitnieks T., Donis J., Stenlid J., Vasaitis R. 2011. Butt rot incidence, causal fungi and related yield loss in *Picea abies* stands of Latvia. *Canadian Journal of Forest Research*, 41, 2337-2345
  189. Samils B., Ihrmark K., Kaitera J., Stenlid J., Barklund P. 2011. New genetic markers for identifying *Cronartium flaccidum* and *Peridermium pini* and examining genetic variation within and between lesions of Scots pine blister rust in Sweden. *Fungal Biology*, vol 115, nr 12, 1303-1311
  190. Danielsson M., Lundén K., Elfstrand M., Hu J., Zhao T., Arnerup J., Ihrmark K., Swedjemark G., Borg-Karlson A-K. Stenlid J. 2011. Chemical and transcriptional responses of Norway spruce genotypes with different susceptibility to *Heterobasidion* spp. infection. *BMC Plant Biology*, vol 11, 154
- 2012**
191. Olson, Å, Brandström-Durling, M, Lind, M, Dalman, K, Himmelstrand, K, Karlsson, M, Lundén, K, Vélez, H, Canbäck, B, Höglberg, N, Asiegbu, FO, Raffaello, T, Martin, F, Kohler, A-G, Murat, C, Duplessis, S, Morin, E, Lombard, V, Coutinho, P, Henrissat, B, Solheim, H, Fosssdahl, CG, Yakovlev, I, Hietala, A, Rouzé, P, Lin, Y-C, Kües, U, Grigoriev, I, Aerts, A, Lindquist, E, Salamov, A, Lucas, S, Schmutz, J, Grimwood, J, Garbelotto, M, Hoffmeister, D, Park, J, Lee, Y-H, Woodward, S, Deflorio, G, James, T., van Diepen, L, Ståhlberg, J, Cullen, D, Belbahri, L, de Vries, RP, Bouzid, O, Wiebenga, A, Broberg, A, Hansson, D, Gonthier, P, Stenlid, J. 2012. Trade-off between wood decay and parasitism: Insights from the genome of a fungal forest pathogen. *New Phytologist* 194:1001-1013.
  192. Bengtsson S, Vasaitis, R, Kirisits, T, Solheim H & Stenlid J. 2012. Population structure of *Hymenoscyphus pseudoalbidus* and its genetic relationship with *Hymenoscyphus albidus*. *Fungal Ecology* 5:147-153.
  193. Fernandez-Fueyo, E Ruiz-Dueñas, FJ Ferreira, P Floudas, D Hibbett, DS Canessa, P Larrodo LF James, TY Seelenfreund D Lobos, S Polanco, R Tello, M Honda, Y Watanabe, T Watanabe, T San, RJ Kubicek, CP Schmoll, M Gaskell, J Hammel KE St. John FJ, Vanden Wymelenberg A, Sabat, G BonDurant, SS Syed, K Yadav, JS Doddapaneni, H Subramanian V, Lavín, JL Oguiza, JA Perez, G Pisabarro, AG Ramirez, L Santoyo, F Mastert, E Coutinho, PM Henrissat, B Lombard, V Magnuson, JK Kües, U Hori, C Igarashi, K Samejima, M Held, BW Barry, KW LaButti, KM Lapidus, A Lindquist, EA Lucas, SM Riley, R Salamov, AA Hoffmeister, D Schwenk, D Hadar, Y Yarden, O de Vries, RP Wiebenga, A Stenlid, J Eastwood, D Grigoriev, IV Berka, RM Blanchettey, RA Kersten, P Martinez, AT Vicuna, R and Cullen D. 2012. Comparative genomics of *Ceriporiopsis subvermispora* and *Phanerochaete chrysosporium* provide insight into selective ligninolysis. *Proceedings of the National Academy of Science*. 109:5458-5463.
  194. Lind, M, van der Nest M., Olson, Å., Brandström-Durling, M., and Stenlid, J. 2012. A 2nd generation linkage map of *Heterobasidion annosum* s.l. based on in silica anchoring of AFLP-markers. *Plos One* 7:11 e 48347.

- 195.Oliva J, Camerero, JJ & Stenlid , J. 2012. Understanding the role of sapwood loss and reaction zone formation on radial growth of Norway spruce (*Picea abies*) trees decayed by *Heterobasidion annosum* s.l. Forest Ecology and Management 274:201-209.
- 196.Hansson, D, Menkis, A, Himmelstrand, K, Thelander, M, Olson, Å, Stenlid, J, Karlsson, M, Broberg, A. 2012. Sesquiterpenes from the conifer root rot pathogen.*Heterobasidion occidentale*. Phytochemistry. 82:158-165.
- 197.Hansson, D, Menkis, A, Olson, Å, Stenlid, J, Broberg, A, Karlsson, M. 2012. Biosynthesis of fomannoxin in the root rotting pathogen *Heterobasidion occidentale*. Phytochemistry 84:31-39. DOI:10.1016/j.phytochem.2012.08.008
- 198.Menkis, A, Burokiene, D, Gaitnieks, T, Uotila, A, Johannesson, H, Rosling, A, Finlay, R, Stenlid, J, Vasaitis, R. 2012. Occurrence and impact of the root-rot biocontrol agent *Phlebiopsis gigantea* on soil fungal communities in Picea abies forests of northern Europe. FEMS Microbiology Ecology 81:438-445.
- 199.Ihrmark, K, Bödeker, I, Cruz-Martinez, K, Friberg, H, Kubartova, A, Schenck, J, Strid, Y, Stenlid, J, Brandström-Durling, M, Clemmensen K & Lindahl, BD. 2012. New primers to amplify the fungal ITS2 region – evaluation by 454-sequencing of artificial and natural communities. FEMS Microbiology Ecology 82:666-677.
- 200.Kubartova A, Ottosson E, Dahlberg, A & Stenlid, J. 2012. Patterns of fungal communities among and within decaying logs, revealed by 454 sequencing. Molecular Ecology 21:4514-4532.
- 201.Andersson, PF, Bengtsson, S, Stenlid, J and Broberg, A. 2012. B-norsteroids from *Hymenoscyphus pseudoalbidus*. Molecules. 17:7769-7781.
- 202.Arhipova, N, Gaitnieks, T, Donis, J, Stenlid, J, Vasaitis, R. 2012. Heart-rot and associated fungi in *Alnus glutinosa* stands in Latvia. Scandinavian Journal of Forest Research. 27: 327-336.
- 203.Floudas, D, Binder, M, Riley, R, Barry, K, Blanchette, RA, Henrissat, B, Martinez, AT, Otillar, R, Spatafora, JW, Yadav, JS, Aerts, A, Benoit, I, Boyd, A, Carlson, A, Copeland, A, Coutinho, PM, de Vries, RP, Ferreira, P, Findley, K, Foster, B, Gaskell, J, Glotzer, D, Gorecki, P, Heitman, J, Hesse, C, Hori, C, Igarashi, K, Jurgens, JA, Kallen, N, Kersten, P, Kohler, A, Kues, U, Kumar, TKA, Kuo, A, LaButti, K, Larondo, LF, Lindquist, E, Ling, A, Lombard, V, Lucas, S, Lundell, T, Martin, R, McLaughlin, DJ, Morgenstern, I, Morin, E, Murat, C, Nagy, LG, Nolan, M, Ohm, RA, Patyshakulyeva, A, Rokas, A, Ruiz-Duenas, FJ, Sabat, G, Salamov, A, Samejima, M, Schmutz, J, Slot, JC, John, FS, Stenlid, J, Sun, H, Sun, S, Syed, K, Tsang, A, Wiebenga, A, Young, D, Pisabarro, A, Eastwood, DC, Martin, F, Cullen, D, Grigoriev, IV, Hibbett, DS. 2012. The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. Science 336:1715-1719.
- 204.Tzelepis, GD Melin, P Jensen, DF Stenlid, J Karlsson, M. 2012. Functional analysis of glycoside hydrolase family 18 and 20 genes in *Neurospora crassa*. Fungal Genetics and Biology 49:717-730.
- 205.Boissin, E, Hurley, B, Wingfield, MJ, Vasaitis, R, Stenlid, J, Davis, C, De Groot, P, Ahumada, R, Carnegie, A, Goldarazena, A, Klasmer, P, Wermelinger, B & Slippers, B. 2012. Retracing the routes of introduction of invasive species: the case of the *Sirex noctilio* woodwasp. Molecular Ecology 21: 5728-5744.

## 2013

- 206.Santini A, Ghelardini L, De Pace C, Desprez-Loustau ML, Capretti P, Chandelier A, Cech T, Chira D, Diamandis S, Gaitniekis T, Hantula J, Holdenrieder O, Jankovsky L, Jung T, Jurc D, Kirisits T, Kunca A, Lygis V, Malecka M, Marcais B, Schmitz S, Schumacher J, Solheim H, Solla A, Szabò I, Tsopelas P, Vannini A, Vettraino AM, Woodward S, Webber J, and Stenlid J. 2013. Biogeographical patterns and determinants of invasion by forest pathogens in Europe. New Phytologist.197: 238-250.
- 207.Cleary MR, Arhipova N, Gaitnieks T, Stenlid J, Vasaitis R. 2013. Natural infection of *Fraxinus excelsior* seeds by *Chalara fraxinea*. Forest Pathology 43: 83-85.
- 208.Cleary, MR Arhipova, N Morrison,DJ Thomsen, IM Sturrock, RN Vasaitis, R Gaitnieks T and Stenlid, J. 2013. Stump removal to control root disease in Canada and Scandinavia: A synthesis of results from long-term trials. Forest Ecology and Management 290:5-14.
- 209.Andersson PF, Bengtsson SBK, Cleary, MR, Stenlid J and Broberg A. 2013. Viridin-like steroids from *Hymenoscyphus pseudoalbidus*. Phytochemistry 86:195-200.
- 210.Clemmensen KE, Bah A, Ovaskainen O, Dahlberg A, Ekblad A, Wallander H, Stenlid J, Finlay RD, Wardle DA and Lindahl BD. 2013. Roots and associated fungi drive long-term carbon sequestration in boreal forest. Science 339:1615-1618.
- 211.Dalman K, Himmelstrand K, Olson Å, Lind M, Brandström-Durling M and Stenlid J. 2013. A genome-wide association study identifies genomic regions for virulence in the non-model organism *Heterobasidion annosum* s.s. PLoS ONE 8(1): e53525. doi:10.1371/journal.pone.0053525

212. Arnerup, J, Nemesio-Gorriz, M, Lundén, K, Asiegbu, FO, Stenlid, J and Elfstrand, M. 2013. The primary module in Norway spruce defence signalling against *H. annosum* s.l. seems to be jasmonate-mediated signalling without antagonism of salicylate-mediated signalling. *Planta* 237:1037-1045 . DOI 10.1007/s00425-012-1822-8
213. Lindahl BD, Nilsson RH, Tedersoo L, Abarenkov K, Carlsen T, Kjøller R, Köljalg U, Pennanen T, Rosendahl S, Stenlid J, Kauserud H. 2013. Fungal community analysis by high-throughput sequencing of amplified markers – a user’s guide. *New Phytologist* 199:288-299. doi: 10.1111/nph.12243
214. Monard C, Gantner S and Stenlid, J. 2013. Utilizing ITS1 and ITS2 to study environmental fungal diversity using pyrosequencing. *FEMS Microbiology Ecology* 84:165-175. DOI: 10.1111/1574-6941.12046
215. Oliva, J Bernat, M and Stenlid, J. 2013. Heartwood stump colonisation by *Heterobasidion parviporum* and *H. annosum* s.s. in Norway spruce (*Picea abies*) stands. *Forest Ecology and Management* 295:1-10
216. Cleary MR, Daniel G and Stenlid J. 2013. Light and scanning microscopy studies of the early infection stages of *Hymenoscyphus pseudoalbidus* on *Fraxinus excelsior*. *Plant Pathology* 62:1294-1301.
217. Van der Nest MA Steenkamp ET Wilken PM Jan Stenlid J Wingfield, MJ Wingfield BD Slippers B. 2013. Mutualism and asexual reproduction influence recognition genes in a fungal symbiont. *Fungal Biology* 17:439-450.
218. Davydenko, K Vasaitis, R Stenlid, J Menkis, A. 2013. Fungi in foliage and shoots of *Fraxinus excelsior* in eastern Ukraine: a first report on *Hymenoscyphus pseudoalbidus*. *Forest Pathology* 43:462-467.
219. Oliva O Boberg J Stenlid J. 2013. First report of *Sphaeropsis sapinea* on Scots pine (*Pinus sylvestris*) and Austrian pine (*P. nigra*) in Sweden. *New Disease Reports* 27, 23. [<http://dx.doi.org/10.5197/j.2044-0588.2013.027.023>]
220. Hu Y Stenlid J Elfstrand M Olson Å.. 2013. Evolution of RNA interference proteins dicer and argonaute in Basidiomycota. *Mycologia* 105:1489-1498. doi:10.3852/13-171
221. van Diepen LTA Olson Å Ihrmark K Stenlid J James TY. 2013. Extensive trans-specific polymorphism at the mating type locus of the root decay fungus *Heterobasidion*. *Molecular Biology and Evolution* 30:2286-2301
222. Baeten L, Verheyen K, Wirth C, Bruelheide H, Bussotti F, Finér L, Jaroszewicz B, Selvi , Valladares F, Allan E, Ampoorter E, Auge H, Avăcăriei D, Barbaro L, Bärnoaiea I, Bastias CC, Bauhus J, Beinhoff C, Benavides R, Benneter A, Bergern S, Berthold F, Boberg J, Bonal D, Brüggemann W, Carnol M, Castagneyrol B, Charbonnier Y, Che'cko E, Coomes D, Coppie D, Dalmaris E, D'anil'a G, Dawud SM, de Vries W, De Wandeler H, Deconchat M, Domisch T, Duduman G, Fischer M, Fotelli M, Gessler A, Gimeno TE, Granier A, Grossiord C, Guyot V, Hantsch L, Hättenschwilera S, Hector A, Hermy M, Holland V, Jactel H, Joly FX, Jucker T, Kolb S, Koricheva J, Lexere MJ, Liebergesel M, Milligand H, Müller S, Muys B, Nguyen D, Nichiforel L, Pollastrini M, Proulx R, Rabasa S, Radoglou K, Ratcliffe S, Raulund-Rasmussen K, Seiferling I, Stenlid J, Vesterdal L, von Wilpert K, Zavalah MA, Zielinski D, Scherer-Lorenzen M. 2013. A novel comparative research platform designed to determine the functional significance of tree species diversity in European forests. *Perspectives in Plant Ecology, Evolution and Systematics*. 15:281-291.

## 2014

223. Assefa A, Abate D and Stenlid J. 2014. Characterization of *Corynelia uberata* Fr. 1818, a fungus presumably pathogenic to the *Podocarpus falcatus* in Ethiopian forests. *Forest Pathology* 44:45-55
224. Stenström E, Ndobe EN, Jonsson M, Stenlid J Menkis A. 2014. Root associated fungi of healthy-looking *Pinus sylvestris* and *Picea abies* seedlings in Swedish forest nurseries. *Scandinavian Journal of Forest Research* 29:12-21.<http://dx.doi.org/10.1080/02827581.2013.844850>
225. Cleary MR Andersson P Broberg A Elfstrand M Daniel G Stenlid J. 2014 Genotypes of *Fraxinus excelsior* with different susceptibility to the ash dieback pathogen *Hymenoscyphus pseudoalbidus* and their response to the phytotoxin viridiol - a metabolomic and microscopic study. *Phytochemistry* 102:115-125
226. Van der Nest MA Olson Å Lind M Véliz H Dalman K Brandström Durling M Karlsson M Stenlid J. 2014. Distribution and evolution of non-self recognition genes in the basidiomycota. *Fungal Genetics and Biology* 64:45-57.
227. Tzelepis, GD Melin P, Stenlid, J Funck Jensen D, and Karlsson, M. 2014. Functional analysis of the C-II2 subgroup killer toxin-like chitinases in the filamentous ascomycete *Aspergillus nidulans*. *Fungal Genetics and Biology* 64:58-66.
228. Strid, Y. Schroeder, M. Lindahl, B. Ihrmark K, Stenlid, J. 2014. Bark beetles have a decisive impact on fungal communities in Norway spruce stem sections. *Fungal Ecology* 7:47-58.
229. Boberg J Finlay RD Stenlid J Ekblad A Lindahl BD. 2014. Nitrogen and carbon reallocation in fungal mycelia during decomposition of boreal forest litter. *Plos One* 9:3 e92897

230. Menkis A Ihrmark K Stenlid J Vasaitis R. 2014. Root associated fungi of *Rosa rugosa* grown on the frontal dunes of the Baltic Sea coast in Lithuania. *Microbial Ecology* 67:769-774. DOI 10.1007/s00248-013-0351-8
231. Ottosson, E Nordén, J Dahlberg, A Edman, M Jönsson, M Larsson, K-H Olsson, J Penttilä, R Stenlid, J Ovaskainen, O. 2014. Species associations during the succession of wood-inhabiting fungal communities. *Fungal Ecology* 11:17-28 .
232. Bengtsson SBK Barklund P von Brömsen C Stenlid J. 2014. Seasonal pattern of lesion development in diseased *Fraxinus excelsior* infected by *Hymenoscyphus pseudoalbidus*. *Plos One* 9:4 e76429
233. Lind, M Källman, T Chen, J Ma, X-F Bousquet, J Morgante, M Zaina, G Karlsson, B Elfstrand, M Lascoux, M Stenlid, J. 2014. A *Picea abies* linkage map based on SNP markers identifies QTLs for four aspects of resistance to *Heterobasidion parviporum* infection. *Plos One* 9:7 e101049.
234. Oliva, J Stenlid, J Martinez-Vilalta, J. 2014. The effect of fungal pathogens on the water and carbon economy of trees: implications for drought-induced mortality. *New Phytologist* 203: 1028-1035
235. Himmelstrand K, Olson Å, Brandström-Durling M, Karlsson M, Stenlid J. 2014. Intronic and plasmid derived regions contribute to the large mitochondrial genome sizes in Agaricomycetes. *Current Genetics* 60:303-313. DOI 10.1007/s00294-014-0436-z
236. Van der Nest M, Olson Å, Karlsson M, Lind M, Dalman K, Brandström Durling M, Elfstrand M, Wingfield B, Stenlid J . 2014. Gene expression associated with intersterility in *Heterobasidion*. *Fungal Genetics and Biology* 73:104-119.

## 2015

237. Clemmensen, KE Finlay, RD Dahlberg, A Stenlid, J Wardle, DA Lindahl, BD. 2015. Carbon sequestration is related to mycorrhizal fungal community shifts during long-term succession in boreal forests. *New Phytologist* 205:1525-1536. doi: 10.1111/nph.13208
238. Assefaa, A, Abatea, D, and Stenlid, J. 2014. *Corynelia uberata* as a threat to regeneration of *Podocarpus falcatus* in Ethiopian forests: spatial pattern and temporal progress of the disease and germination studies. *Plant Pathology* 64:617-626. Doi: 10.1111/ppa.12295.
239. Assefaa, A, Abate, D & Stenlid J. 2014. Characterization of *Pyrofomes demidoffii* (Lév.) Kotl. & Pouzar, a fungus pathogenic to *Juniperus procera* from Ethiopian Afromontane forests. *Forest Pathology* 45:263-273.
240. Strid, Y. Ihrmark, K. Stenlid, J. 2015. The primer fITS9 prevents chimera formation during fungal DNA amplification in a bark beetle DNA background. *Forest Pathology* 45: 9-13 doi: 10.1111/efp.12156
241. Ottosson, E Kubartova, A Edman, M Stenlid, J Jönsson, M Lindhe, A Dahlberg, A. 2015. Diverse phylogenetic signals and ecological roles within fungal communities in decomposing logs. *FEMS Microbiology Ecology* 91:3 http://dx.doi.org/10.1093/femsec/fiv012
242. Tuovinen, V, Svensson, M, Kubartova, A, Ottosson, E, Stenlid, J, Thor, G, Dahlberg, A. 2015 No support for occurrence of free-living *Cladonia* mycobionts in dead wood. *Fungal Ecology* 14:130-132
243. Kubartova, A, Ottosson, E Stenlid J. 2015. Linking fungal communities to wood-density loss after 12 years of log decay. *FEMS Microbiology Ecology* 91:5 http://dx.doi.org/10.1093/femsec/fiv032
244. Millberg H, Boberg J Stenlid J. 2015. Changes in fungal community of Scots pine needles along a latitudinal gradient in Sweden. *Fungal Ecology* 17:126-139.
245. Lunden, K Danielsson, M Durling, MB Ihrmark, K Gorri, MN Stenlid, J Asiegbu, FO Elfstrand, M. 2015. Transcriptional Responses Associated with Virulence and Defence in the Interaction between *Heterobasidion annosum* s. s. and Norway Spruce. *Plos One* 10: 7 e0131182
246. Oliva, J Zhao, A Zarei, S Sedlák, P Stenlid J. 2015. Effect of temperature on the interaction between *Phlebiopsis gigantea* and the root-rot forest pathogen *Heterobasidion* spp. *Forest Ecology and Management*, 340:22-30.
247. Gonthier P, Sillo F Lagostina E Roccotelli A, Cacciola O, Stenlid J and Garbelotto M. 2015. Selection processes in Simple Sequence Repeats are correlated with their genomic location: insights from a fungal model system. *BMC Genomics* 2015 16:1107

## 2016

248. Menkis A, Burokienė D, Stenlid J, Stenström, E. 2016. High-throughput sequencing shows high fungal diversity and community segregation in the rhizospheres of container-grown conifer seedlings. *Forests* 2016, 7(2), 44; doi:10.3390/f7020044
249. Roberge J-M, Laudon L, Björkman C. Sandström C, Felton A, Ranius T, Sténs A, Nordin A, Granström A, Widemo F, Bergh J, Sonesson J, Stenlid J, Lundmark T. 2016. Socio-ecological implications of modifying rotation lengths in forestry. *Ambio* 45(Suppl 2)s109-123.
250. Felton, A., Nilsson, U., Sonesson, J., Felton A.M., Roberge, J.-M., Ranius, T., Ahlström, M., Bergh, J., Björkman, C., Boberg, J., Drössler, L., Fahlvik, N., Gong, P., Holmström, E., Keskitalo, E.C.H.,

- Klapwijk, M.J., Laudon, H., Lundmark, T., Niklasson, M., Nordin, A., Pettersson, M., Stenlid, J., Sténs, A., Wallertz, K. 2016. Replacing monocultures with mixed-species stands: Ecosystem service implications of two production forest mixture alternatives in Sweden. *Ambio* 45(Suppl 2)s124-139.
251. Nguyen DT, Cleary MR, Enderle R, Berlin A, Stenlid J. 2016. Analyses of the ash dieback pathogen, *Hymenoscyphus fraxineus*, suggest role of tree species diversity on colonization and population structure differentiation. *Forest Pathology* 46:82-84. doi: 10.1111/efp.1223.
252. Nguyen D, Castagnyrol B, Bruelheide H, Bussotti F, Guyot V, Jactel H, Jaroszewicz B, Valladares F, Stenlid J, Boberg J. 2016. Tree diversity effects on fungal pathogens change across latitudinal gradient with latitude in European forests. *Ecology and Evolution* 6(8): 2426–2438
253. van der Plas F, Manning P, Allan E, Scherer-Lorenzen M, Verheyen K, Wirth C, Zavala MA, Hector A, Ampoorter E, Baeten L, Barbaro L, Bauhus J, Benavides R, Benneter A, Berthold F, Bonal D, Bouriaud O, Bruelheide H, Bussotti F, Carnol M, Castagnyrol B, Charbonnier Y, Coomes D, Coppi A, Bastias CC, Dawud SM, De Wandeler H, Domisch T, Finér L, Gessler A, Granier A, Grossiord C, Guyot V, Hättenschwiler S, Jactel H, Jaroszewicz B, Joly F-X, Jucker T, Koricheva J, Milligan H, Müller S, Muys B, Nguyen D, Pollastrini M, Raulund-Rasmussen K, Selvi F, Stenlid J, Valladares F, Vesterdal L, Zielinski D, Fischer M. 2016. ‘Jack-of-all-trades’ effects drive biodiversity-ecosystem multifunctionality relationships. *Nature Communications* 7:11109, DOI: 10.1038/ncomms11109
254. van der Plas F, Manning P, Soliveres S, Allan E, Scherer-Lorenzen M, Verheyen K, Wirth C, Zavala MA, Ampoorter E, Baeten L, Barbaro L, Bauhus J, Benavides R, Benneter A, Bonal D, Bouriaud O, Bruelheide H, Bussotti F, Carnol M, Castagnyrol B, Charbonnier Y, Coomes D, Coppi A, Bastias CC, Dawud SM, De Wandeler H, Domisch T, Finér L, Gessler A, Granier A, Grossiord C, Guyot V, Hättenschwiler S, Jactel H, Jaroszewicz B, Joly F-X, Jucker T, Koricheva J, Milligan H, Müller S, Muys B, Nguyen D, Pollastrini M, Ratcliffe S, Raulund-Rasmussen K, Selvi F, Stenlid J, Valladares F, Vesterdal L, Zielinski D, Fischer M.. 2016. Both biotic homogenization and local species loss can decrease landscape-scale forest multifunctionality. *Proceedings of the National Academy of Science*. 113: 3557–3562
255. Zhou L-W, Vlasák J, Decock, C, Assefa A, Stenlid J, Abate D, Wu S-H, Dai Y-C. 2016. Global diversity and taxonomy of the *Inonotus linteus* complex (Hymenochaetales, Basidiomycota): *Sanghuangporus* gen. nov., *Tropicoporus excentrodendri* and *T. guanacastensis* gen. et spp. nov., and 17 new combinations. *Fungal Diversity* 77:335–347 DOI 10.1007/s13225-015-0335-8
256. Cleary M, Nguyen D, Marčiulynienė D, Berlin A, Vasaitis R, Stenlid J. 2016. Friend or foe? Biological and ecological traits of the European ash dieback pathogen *Hymenoscyphus fraxineus* in its native environment *Scientific reports* 6: 21895 DOI: 10.1038/srep21895
257. Nemesio-Gorriz M, Hammerbacher A, Ihrmark K, Källman T, Olsson Å, Lascoux M, Stenlid J and Elfstrand M. 2016. Different alleles of a gene encoding leucoanthocyanidin reductase (PaLAR3) influence resistance against the fungus *Heterobasidion parviporum* in *Picea abies*. *Plant Physiology* 171:2671-81 DOI: 10.1104/pp.16.00685
258. Kubartova, A, Vasaitis, R, Stenlid, J, Dahlberg, A. 2015. Fungal communities in Norway spruce stumps along a latitudinal gradient in Sweden Special Issue: Effects of Stump Harvest. *Forest ecology and Management*. 371: 50-58. doi.org/10.1016/j.foreco.2015.12.017
259. Millberg, H, Hopkins, A.J.M, Boberg, J, Davydenko, K, Stenlid, J. 2016. Disease development of *Dothistroma* needle blight in seedlings of *Pinus sylvestris* and *Pinus contorta* under Nordic conditions. *Forest Pathology* 46:515–521. DOI: 10.1111/efp.12242
260. T. Jung, L. Orlikowski, B. Henricot, P. Abad-Campos, A. G. Aday, O. Aguín Casal, J. Bakonyi, S. O. Cacciola, T. Cech, D. Chavarriaga, T. Corcobado, A. Cravador, T. Decourcelle, G. Denton, S. Diamandis, H. T. Doğmuş-Lehtijärvi, A. Franceschini, B. Ginetti, M. Glavendekić, J. Hantula, G. Hartmann, M. Herrero, D. Ivic, M. Horta Jung, A. Lilja, N. Keca, V. Kramarets, A. Lyubenova, H. Machado, G. Magnano di San Lio, P. J. Mansilla Vázquez, B. Marçais, I. Matsiakh, I. Milenkovic, S. Moricca, Z. Á. Nagy, J. Nechwatal, C. Olsson, T. Oszako, A. Pane, E. J. Paplomatas, C. Pintos Varela, S. Prospero, C. Rial Martínez, D. Rigling, C. Robin, A. Rytkonen, M. E. Sánchez, B. Scanu, A. Schlenzig, J. Schumacher, S. Slavov, A. Solla, E. Sousa, J. Stenlid, V. Talgø, Z. Tomic, P. Tsopelas, A. Vannini, A. M. Vettraino, M. Wenneker, S. Woodward and A. Peréz-Sierra. 2016. Widespread *Phytophthora* infestations in European nurseries put forest, semi-natural and horticultural ecosystems at high risk of Phytophthora diseases. *Fortest Pathology* 46:134–163. DOI: 10.1111/efp.12239.
261. Drenkhan R, Tomešová-Haataja V, Fraser S, Vahalik P, Mullett M, Martín-García J, Bradshaw RE, Bulman L, Wingfield MJ, Kirisits T, Cech TL, Schmitz S, Baden R, Tubby K, Brown A, Georgieva M, Woods A, Ahumada R, Jankovský L, Thomsen IM, Adamson K, Marçais B, Vuorinen M, Tsopelas P, Koltay A, Halasz A, La Porta N, Anselmi N, Kiesnere R, Markovskaja S, Kačergius A, Papazova-Anakieva I, Sotirovski K, Lazarević J, Solheim H, Boron P, Bragança H, Chira D, Musolin DL, Selikhovkin AV, Keča N, Karadžić D, Galovic V, Pap P, Markovic M, Poljakovic Pajnik L, Vasic V,

- Ondrušková E, Piškur B, Sadiković D, Diez-Casero5 JJ, Solla A, Millberg H, Stenlid J, Angst A, Lehtijärvi A, Doğmuş-Lehtijärvi HT, Oskay F, Davydenko K, Meshkova V, Woodward S, Barnes I. 2016. Dothistroma needle blight: a comprehensive review of its global geographic distribution and host susceptibility. *Forest Pathology* 46:408-442. DOI: 10.1111/efp.12290
262. Karlsson M, Stenlid J Lindahl B. 2016. Induction of chitinolytic enzyme activity in the white-rot fungus *Phanerochaete chrysosporium* during interspecific interactions with *Heterobasidion irregulare*. *Fungal Ecology* 22:52-60. DOI: 10.1016/j.funeco.2016.04.004
263. Redondo, MA Boberg, J. Stenlid J Oliva J. 2016. First report of *Phytophthora pseudosyringae* causing basal cankers on horse chestnut in Sweden. *Plant Disease* 100(5):1024 <http://dx.doi.org/10.1094/PDIS-09-15-1000-PDN>
264. Oliva, J. Stenlid J. Grönkvist-Wichmann L, Wahlström, K. Jonsson, M. Drobyshev I Stenström E. 2016. Pathogen-induced defoliation of *Pinus sylvestris* leads to tree declineand death from secondary biotic factors. *Forest Ecology and Management* 379:273-280. DOI:10.1016/j.foreco.2016.08.011
265. Stenlid J & Oliva, J. 2016. Phenotypic interactions between tree hosts and invasive forest pathogens in the light of globalization and climate change. *Philosophical Transactions of the Royal Society B*: 371(1709) 20150455. DOI: 10.1098/rstb.2015.0455
266. Monard, C, Gantner, S Bertilsson, S, Hallin, S Stenlid J. 2016. Habitat generalists and specialists in microbial communities across a terrestrial-freshwater gradient. *Scientific Reports* 6:37719, DOI: 10.1038/srep37719
267. Nguyen D, Boberg, J, Ihrmark, K, Stenström, E, Stenlid J. 2016. Do foliar fungal communities of Norway spruce shift along a tree species diversity gradient in mature European forests? *Fungal Ecology* 23: 97-108. DOI: 10.1016/j.funeco.2016.07.003
268. Grudzinska-Sterno, M Yuen J, Stenlid J, Djurle A. 2016. Fungal communities in organically grown winter wheat affected by plant organ and development stage. *European Journal of Plant Pathology* 146: 401-417. DOI: 10.1007/s10658-016-0927-5
269. Martin, T, Rönnberg-Wästljung, A-C, Stenlid, J Samils B. 2016 Identification of a Differentially Expressed TIR-NBS-LRR Gene in a Major QTL Associated to Leaf Rust Resistance in *Salix*. *Plos One* 11(12): e0168776. <http://dx.doi.org/10.1371/journal.pone.0168776>
- 2017**
270. Marciulynienė, D., Davydenko, K., Vasaitis, R., Stenlid, J., and Cleary, M.R. 2017. Pruning as a method to maintain high-valued ash trees in urban landscapes? *Urban Forestry and Urban Greening*. 27:69-75
271. Nguyen, D, Boberg, J Cleary M, Bruelheide, H Hönig, L Koricheva J, Stenlid, J. 2017 Foliar fungi of *Betula pendula*: impact of tree species mixtures and assessment methods. *Scientific Reports* 7: 41801
272. Nemesio-Gorriz, M Blair, PB Dalman, K Hammerbacher, A Arnerup, J Stenlid, J Mukhtar, SM Elfstrand, M. 2017. Identification of Norway Spruce MYB-bHLH-WDR Transcription Factor Complex Members Linked to Regulation of the Flavonoid Pathway. *Frontiers in Plant Science* 8 DOI: 10.3389/fpls.2017.00305
273. Stenlid, J Elfstrand, M Cleary, M Ihrmark, K Karlsson, M Davydenko, K. Durling BM. 2017. Genomes of *Hymenoscyphus fraxineus* and *Hymenoscyphus albidus* encode surprisingly large cell wall degrading potential, balancing saprotrophic and necrotrophic signatures. *Baltic Forestry* 23(1): 41-51
274. Östbrant, I-L., Vasaitis, R., Stenlid, J., Pliūra, A. and Menkis, A. 2017. Natura 2000 Habitats Dominated by Ash and Elm, Invaded by Alien Invasive Fungi on the Gotland Island of Sweden: an Overview. *Baltic Forestry* 23(1): 264-269
275. Menkis, A., Vasaitis, R., Östbrant, I.-L., Pliūra, A. and Stenlid, J. 2017. Tests with Wood-Decay Fungi to Control Sprouting from Cut Stumps Infected by Dutch Elm Disease. *Baltic Forestry* 23(1): 270-273.
276. Smith GR, Finlay R, Stenlid J, Vasaitis R Menkis A.2017. Growing evidence for facultative biotrophy in saprotrophic fungi: data from microcosm tests with 201 species of wood-decay basidiomycetes. *New Phytologist*. 215: 747–755. DOI: 10.1111/nph.14551
277. Sophia Ratcliffe, Christian Wirth, Tommaso Jucker, Fons van der Plas, Michael Scherer-Lorenzen, Kris Verheyen, Eric Allan, Raquel Benavides, Helge Bruelheide, Bettina Ohse, Alain Paquette, Evy Ampoorter, Cristina C. Bastias, Jürgen Bauhus, Damien Bonal, Olivier Bouriaud, Filippo Bussotti, Monique Carnol, Bastien Castagnéryrol, Ewa Chećko, Seid Muhie Dawud, Hans De Wandeler, Timo Domisch, Leena Finér, Markus Fischer, Mariangela Fotelli, Arthur Gessler, André Granier, Charlotte Grossiord, Virginie Guyot, Josephine Haase, Stephan Hättenschwiler, Hervé Jactel, Bogdan Jaroszewicz, François-Xavier Joly, Stephan Kambach, Simon Kolb, Julia Koricheva, Mario Liebersgesell, Harriet Milligan, Sandra Müller, Bart Muys, Diem Nguyen, Charles Nock, Martina Pollastrini, Oliver Purschke, Kalliopi Radoglou, Karsten Raulund-Rasmussen, Fabian Roger, Paloma Ruiz-Benito, Rupert Seidl, Federico Selvi, Ian Seiferling, Jan Stenlid, Fernando Valladares, Lars

- Vesterdal and Lander Baeten. 2018. Biodiversity and ecosystem functioning relations in European forests depend on environmental context. *Ecology Letters* 20: 1414–1426, DOI: 10.1111/ele.12849
278. Kancherla, RP Durling, MB Stenlid, J Hogberg, N. 2017. Draft genome of the brown-rot fungus *Fomitopsis pinicola* GR9-4. *Data In Brief* 15: 496-500. DOI: 10.1016/j.dib.2017.09.043
- 2018**
279. Redondo, MA Boberg, J Stenlid, J Oliva, J. 2018. Functional traits associated with the establishment of introduced Phytophthora spp. in Swedish forests. *Journal of Applied Ecology* 55:1538-1552 DOI: 10.1111/1365-2664.13068
280. Marciulynienė, D Davydenko, K Stenlid, J Shabunin D Cleary M. 2018. *Fraxinus excelsior* seed is not a probable introduction pathway for *Hymenoscyphus fraxineus*. *Forest Pathology* 10.1111/efp.12392
281. Yang Hu, Kim, S Jeon, J Elfstrand, M Stenlid, J Lee Y-H Olson Å. 2018. Characterization of a Heterobasidion irregulare endo-rhamnogalacturonase that mediate growth on pectin. *Journal of Phytopathology* 166: 34–43, DOI: 10.1111/jph.12657
282. Fons van der Plas, Sophia Ratcliffe, Paloma Ruiz-Benito, Michael Scherer-Lorenzen, Kris Verheyen, Christian Wirth, Miguel A. Zavala, Evy Ampoorter, Lander Baeten, Luc Barbaro, Cristina C. Bastias, Jürgen Bauhus, Raquel Benavides, Adam Benneter, Damien Bonal, Olivier Bouriaud, Helge Bruehlheide, Filippo Bussotti, Monique Carnol, Bastien Castagnéyrol, Yohan Charbonnier, Johannes H. C. Cornelissen, Jonas Dahlgren, Ewa Checko, Andrea Coppi, Seid Muhib Dawud, Marc Deconchat, Pallieter De Smedt, Hans De Wandeler, Timo Domisch, Leena Finér, Mariangela Fotelli, Arthur Gessler, André Granier, Charlotte Grossiord, Virginie Guyot, Josephine Haase, Stephan Hättenschwiler, Hervé Jactel, Bogdan Jaroszewicz, François-Xavier Joly, Tommaso Jucker, Stephan Kambach, Gerald Kaendler, Jens Kattge, Julia Koricheva, Georges Kunstler, Aleksi Lehtonen, Mario Liebergesell, Peter Manning, Harriet Milligan, Sandra Müller, Bart Muys, Diem Nguyen, Charles Nock, Bettina Ohse, Alain Paquette, Josep Peñuelas, Martina Pollastrini, Kalliopi Radoglou, Karsten Raulund-Rasmussen, Fabian Roger, Rupert Seidl, Federico Selvi, Jan Stenlid, Fernando Valladares, Johan van Keer, Lars Vesterdal, Markus Fischer, Lars Gamfeldt and Eric Allan. 2018. Continental mapping of forest ecosystem functions reveals a high but unrealised potential for forest multifunctionality. *Ecology Letters* 21: 31–42, DOI: 10.1111/ele.12868
283. Pasanen, H Junninen, K Boberg Tatsumi, S Stenlid J Kouki, J. 2018 Life after tree death: Does restored dead wood host different fungal communities to natural woody substrates? *Forest Ecology and Management* 409: 863-871 10.1016/j.foreco.2017.12.021
284. Klapwijk, MJ Boberg, J. Bergh, J Bishop, K Björkman, C Ellison D Felton, A Lidskog, R Lundmark, T Keskitalo, ECH Sonesson, J Nordin, A Nordström, E-M Stenlid J, Mårald E. 2018. Capturing complexity: Forests, decision-making and climate change. *Global Environmental Change* 52:238-247. DOI: 10.1016/j.gloenvcha.2018.07.012
285. Redondo, MA Boberg, J Stenlid, J Oliva, J. 2018. Contrasting distribution patterns between aquatic and terrestrial Phytophthora species along a climatic gradient are linked to functional traits. *ISME Journal* 12: 2967-2980 DOI: 10.1038/s41396-018-0229-3
286. Chen, ZQ Lunden, K Karlsson, B Vos, I Olson, A Lundqvist, SO Stenlid, J Wu, HX Gil, MRG Elfstrand, M. 2018. Early selection for resistance to Heterobasidion parviporum in Norway spruce is not likely to adversely affect growth and wood quality traits in late-age performance. *European Journal of Forest Research* 137: 517-525 DOI: 10.1007/s10342-018-1120-5
287. Desprez-Loustau, ML Massot, M Toigo, M Fort, T Kaya, AGA Boberg, J Braun, U Capdevielle, X Cech, T Chandelier, A Christova, P Corcobado, T Dogmus, T Dutech, C Fabreguettes, O d'Arcier, JF Gross, A Jung, MH Iturritxa, E Jung, T Junker, C Kiss, L Kostov, K Lehtijarvi, A Lyubenova, A Marcais, B Oliva, J Oskay, F Pastircak, M Pastircakova, K Piou, D Saint-Jean, G Sallafranque, A Slavov, S Stenlid, J Talgo, V Takamatsu, S Tack, AJM. 2018. From leaf to continent: The multi-scale distribution of an invasive cryptic pathogen complex on oak. *Fungal Ecology* 36:39-50. DOI: 10.1016/j.funeco.2018.08.001
- 2019**
288. Eriksson L Boberg J Cech TL Corcobado T Desprez-Loustau M-L Hietala AM Horta Jung M Jung T Doğmuş Lehtijärvi T Oskay F Slavov S Solheim H Stenlid J Oliva J. 2019. Invasive forest pathogens in Europe: Cross-country variation in public awareness but consistency in policy acceptability. *Ambio* 48:1-12 10.1007/s13280-018-1046-7
289. Brodde, L Adamson, K Camarero, JJ Castano, C Drenkhan, R Lehtijarvi, A Luchi, N Migliorini, D Sanchez-Miranda, A Stenlid, J Ozdag, S Oliva, J. 2019. Diplodia tip blight on its way to the north: drivers of disease emergence in northern europe. *Frontiers in Plant Science* 9:1818 DOI: 10.3389/fpls.2018.01818
290. Baeten, L Bruehlheide, H van der Plas, F Kambach, S Ratcliffe, S Jucker, T Allan, E Ampoorter, E Barbaro, L Bastias, CC Bauhus, J Benavides, R Bonal, D Bouriaud, O Bussotti, F Carnol, M

- Castagneyrol, B Charbonnier, Y Checko, E Coomes, DA Dahlgren, J Dawud, SM De Wandeler, Domisch, T Finer, L Fischer, M Fotelli, M Gessler, A Grossiord, C Guyot, V Hattenschwiler, S Jactel, H Jaroszewicz, B Joly, FX Koricheva, J Lehtonen, A Muller, S Muys, B Nguyen, D Pollastrini, M Radoglou, K Raulund-Rasmussen, K Ruiz-Benito, P Selvi, F Stenlid, J Valladares, F Vesterdal, L Verheyen, K Wirth, C Zavala, MA Scherer-Lorenzen, M. 2019. Identifying the tree species compositions that maximize ecosystem functioning in European forests. *Journal of Applied Ecology* 56:733-744. DOI: 10.1111/1365-2664.13308
291. Enderle, R Stenlid J Vasaitis R. 2019 An overview of ash (*Fraxinus spp.*) and the ash dieback disease in Europe. *CAB Reviews* 2019 14 no 025. <http://www.cabi.org/cabreviews/review/20193167550>
292. Załuma A, Muižnieks I, Gaitnieks T, Burņeviča N, Jansons Ä, Jansons J, Stenlid J, Vasaitis R. 2019. Infection and spread of root rot caused by *Heterobasidion* spp. in *Pinus contorta* plantations in Northern Europe: three case studies. *Canadian Journal of Forest Research*. 49:969-977
- 2020**
293. Redondo, MA, Stenlid, J, Oliva J. 2020. Genetic variation explains changes in susceptibility in a naïve host against an invasive forest pathogen: the case of alder and the *Phytophthora alni* complex. *Phytopathology* <https://doi.org/10.1094/PHYTO-07-19-0272-R>
294. Menkis, A Bakys, R Stein Åslund, M Davydenko, K Elfstrand, M Stenlid, J Vasaitis, R. 2020. Identifying *Fraxinus excelsior* tolerant to ash dieback: visual field monitoring versus a molecular marker. *Forest Pathology* DOI: 10.1111/efp.12572
295. Redr, R Dahlberg, A Stenlid, J Sunhede, S Vasaitis, R Menkis, A. 2020. The mating type system of the rare polypore *Hapalopilus croceus*. *Fungal Ecology* 45:100941. <https://doi.org/10.1016/j.funeco.2020.100941>
296. Elfstrand, M Zhou L Baison J Olson Å Lundén K Karlsson B Wu HX Stenlid J García-Gil MR. 2020 Genotypic variation in Norway spruce correlates to fungal communities in vegetative buds. *Molecular Ecology* 29:199-213. doi.org/10.1111/mec.15314
297. Chaudhary R, Lundén K, Dalman K, Dubey M, Nemesio Gorri M, Karlsson B, Stenlid J and Elfstrand M 2019. Combining transcriptomics and genetic linkage based information to identify candidate genes associated with *Heterobasidion*-resistance in Norway spruce. *Scientific Reports* 10:12711. 10.1038/s41598-020-69386-0
298. Elfstrand, M Baison, J Lundén, K Zhou, L Vos, I Capador-Barreto, H Stein Åslund, M Chen, Z Chaudhary, R Olson, Å Wu, H Karlsson, B Stenlid, J García-Gil, MR. 2019. Association genetics identifies a specifically regulated Norway spruce laccase gene, PaLAC5, linked to *Heterobasidion parviporum*-resistance. *Plant, Cell & Environment* 43:1779-1791. doi 10.1111/pce.13768
299. Pavlov IN, Vasaitis R, Litovka YA, Stenlid J, Jankovsky L, Timofeev AA, Menkis, A. 2020. Occurrence and pathogenicity of *Corinectria* spp. – emerging canker disease of *Abies sibirica* in Central Siberia. *Scientific reports* 10:5597. doi.org/10.1038/s41598-020-62566-y
300. Gaitnieks, T Załuma A, Kenigsvalde, K Brūna, L Kļavina, D Burņeviča, N Stenlid, J Jankovský L Vasaitis R. 2020. Natural infection and colonisation of pre-commercially cut stumps of *Picea abies* and *Pinus sylvestris* by *Heterobasidion* rot and its biocontrol fungus *Phlebiopsis gigantea*. *Biological Control* 143:104208. doi.org/10.1016/j.biotech.2020.104208
301. Hu, Y, Stenlid, J, Elfstrand, M, Durling, M & Olson, Å. 2020. The conifer root rot pathogens *Heterobasidion irregulare* and *Heterobasidion occidentale* employ different strategies to infect Norway spruce. *Scientific Reports* 10: 5884. doi.org/10.1038/s41598-020-62521-x
302. Castaño, C; Berlin, A; Brandström Durling, M; Ihrmark, K; Lindahl, B; Stenlid, J, Clemmensen, K, Olson, Å. 2020. Optimized metabarcoding with Pacific Biosciences enables semi-quantitative analysis of fungal communities. *New Phytologist* 228:1149-1158.10.1111/nph.16731
303. Oliva J, Redondo MA, Stenlid J. 2020. Functional ecology of forest disease. *Annual Review of Phytopathology* : 343-361. <https://doi.org/10.1146/annurev-phyto-080417-050028>
304. Jactel H, Desprez-Loustau M-L, Battisti A, Brockerhoff E, Santini A, Stenlid J, Björkman C, Branco M, Dehnen-Schmutz K, Douma JC, Drakulic J, Drizou F, Eschen R, Franco JC, Gossner MM, Green S, Kenis M, Klapwijk MJ, Liebhold AM, Orazio C, Prospero S, Robinet C, Schroeder M, Slippers B, StoevP, Sun J, van den Dool R, Wingfield MJ, Zalu MP. 2020. Pathologists and entomologists must join forces against forest pest and pathogen invasions. *Neobiota* 58:107-127. 10.3897/neobiota.58.54389
305. Sahraei, ES Cleary, M Stenlid, JDurling, MB Elfstrand M. 2020. Transcriptional responses in developing lesions of European common ash (*Fraxinus excelsior*) reveal genes responding to infection by *Hymenoscyphus fraxineus*. *BMC Plant Biology* 20:455. 10.1186/s12870-020-02656-1
306. Chaudhary R, Rönneburg T, Stein ÅslundM, LundénK, Brandström DurlingM, IhrmarkK, MenkisA, Stener L-G, Elfstrand M, Cleary M, Stenlid J. 2020. Marker-trait associations for tolerance to ash dieback in common ash. *Forests* 11:1083. 10.3390/f11101083

## 2021

307. Samils B, Kaitera J, Persson T, Stenlid J, Barklund P. 2021. Population genetic structure of *Cronartium pini* (syn. *Cronartium flaccidum* and *Peridermium pini*) suggests differentiation between rust populations in northern Fennoscandia. *Fungal Ecology* 50:101032. 10.1016/j.funeco.2020.101032
308. Elfstrand M, Chen1 J, Cleary M, Halecker S, Ihrmark K, Karlsson M, Davydenko K, Stenlid J, Stadler M, Brandström Durling M. 2021. Comparative analyses of the *Hymenoscyphus fraxineus* and *Hymenoscyphus albidus* genomes reveals difference of TE expansion between a pathogen and a non-pathogen. *BMC Genomics* 22(1):503. 10.1186/s12864-021-07837-2
309. Van Poucke, K Haegeman, A Goedefroit, T Focquet, F Leus, L Jung, MH Nave, C Redondo, MA Husson, C Kostov, K Lyubanova, A Christova, P Chandelier, A Slavov, S de Cock, A Bonants, P Werres, S Palau, JO Marcais, B Jung, TM Stenlid, J Ruttink, T Heungens, K. 2021. Unravelling hybridization in *Phytophthora* using phylogenomics and genome size estimation. *IMA Fungus* 12(1): 16. 10.1186/s43008-021-00068-w
310. Capador-Barreto, HD Bernhardsson, C Milesi, P Vos, I Lunden, K Wu, HX Karlsson, B Ingvarsson, PK Stenlid, J Elfstrand, M. 2021. Killing two enemies with one stone? Genomics of resistance to two sympatric pathogens in Norway spruce. *Molecular Ecology* 30(18): 4433-4447. 10.1111/mec.16058
311. Kluge, M Wurzbacher, C Wauthy, M Clemmensen, KE Hawkes, JA Einarsdottir, K Stenlid, J Peura, S. 2021. Community composition of aquatic fungi across the thawing Arctic. *Scientific Data* 8 (1):221. DOI10.1038/s41597-021-01005-7
312. Kluge, M Wauthy, M Clemmensen, KE Wurzbacher, C Hawkes, JA Einarsdottir, K Rautio, M Stenlid, J Peura, S. 2021. Declining fungal diversity in Arctic freshwaters along a permafrost thaw gradient. *Global Change Biology* 27(22): 5889-5906. 10.1111/gcb.15852

## Congress reports and book chapters

1. Stenlid, J. & Johansson, M. 1984. Infection biology of *Heterobasidion annosum*. Proc. of the Sixth Int. Conf. of Root and Butt Rots of Forest Trees. Melbourne, Australia, August 25-31, 1983. 269-274.
2. Johansson, M. & Stenlid, J. 1984. Biochemical interactions between *Heterobasidion annosum* and living wood of spruce roots during the initial stage of infection. Proc. of the Sixth Int. Conf. on Root and But Rots of Forest Trees. Melbourne, Australia, August 25-31, 1983. 227-235.
3. Stenlid, J. 1989. Population studies in *Heterobasidion annosum*. Proc. of the 7th Int. Conf. on Root and Butt Rots offorest Trees. Vernon and Victoria, Canada, 1988. 1-10.
4. Stenlid, J. 1993. Boreal decay fungi. In: *Fungi of Europe. Investigation, recording & mapping* (Red. Pegler, D.N., Boddy,L. Ing, B & Kirk, P.M.) Proceedings of the XI European mycological congress. 171-180.
5. Swedjemark, G. & Stenlid, J. 1994. Variation in *Heterobasidion annosum* growth in different clones of Norway spruce.In: Proceedings of the 8th international conference on root and butt rots. 10-16.
6. Stenlid, J. 1994. Regional differentiation in *Heterobasidion annosum*. In: Proceedings of the 8th international conference on root and butt rots. 243-248.
7. Stenlid, J. 1994. Homokaryotic *Heterobasidion annosum* mycelia in Norway spruce stumps. In: Proceedings of the 8th international conference on root and butt rots. 249-253.
8. Hansen, E.M., Stenlid, J. & Johansson, M. 1994. Somatic incompatibility in *Heterobasidion annosum* and *Phellinus weiri*. In: Proceedings of the 8th international conference on root and butt rots. 323-333.
9. Holmer, L. & Stenlid, J. 1994. Control of *Heterobasidion annosum* by cord-forming basidiomycetes. In: Proceedings of the 8th international conference on root and butt rots. 686-695.
10. Bendz, M. & Stenlid, J. 1994. Diameter growth losses of decayed Norway spruce. In: Proceedings of the 8<sup>th</sup> international conference on root and butt rots. 703-708.
11. Holmer L & Stenlid J. 1996. Release of a cord-forming basidiomycete antagonistic to *Heterobasidion annosum* and its subsequent reisolation and identification. In: *Monitoring antagonistic fungi deliberately released into the environment.* (Eds. Funck Jensen, D., Jansson, H.-B. & Tronsmo, A.) Kluwer Academic Press, Dordrecht, Boston, London. pp 63-70. ISBN 0-7923-4077-9.
12. Stenlid J. 1996. Identification of basidiomycetes for the use in forest mycology. In: *Fungal Identification Techniques* (Eds. L. Rossen, V. Rubio, M.T. Dawson, & J. Friesvad). ECSC-EC-EAEC, Brussels, pp 68-74. ISBN 92-827-5677-7.

13. Stenlid, J. 1997. Forestry and pathology in northern Europe. Compendium of Forest Pathology. (Ed. EM Hansen & K. Lewis). APS press, St Paul, 74-75
14. Hellgren, M. & Stenlid, J. 1997. Diseases of conifers caused by *Gremminiella abietina*. Compendium of Forest Pathology. (Eds. EM Hansen & K. Lewis). APS press, St Paul, 43-45
15. Korhonen, K. & Stenlid J. 1998. Biology of *Heterobasidion annosum* In: Woodward, S, Stenlid, J, Karjalainen, R, & Hüttermann, A. *Heterobasidion annosum* biology, ecology, impact and control. CAB International, Wallingford, UK pp 43-70.
16. Stenlid, J & Redfern D. 1998. Spread within the tree and stand. In: Woodward, S, Stenlid, J, Karjalainen, R, & Hüttermann, A. *Heterobasidion annosum* biology, ecology, impact and control. CAB International, Wallingford, UK pp 125-142.
17. Redfern, DB & Stenlid J. 1998. Spore dispersal and infection. In: Woodward, S, Stenlid, J, Karjalainen, R, & Hüttermann, A. *Heterobasidion annosum* biology, ecology, impact and control. CAB International, Wallingford, UK pp 105-124.
18. Korhonen, K. Stenlid, J, Capretti, P & Karjalainen. R. 1998. Distribution of *Heterobasidion annosum* intersterility groups in Europe. In: Woodward, S, Stenlid, J, Karjalainen, R & Hüttermann, A. *Heterobasidion annosum* biology, ecology, impact and control. CAB International, Wallingford, UK pp 93-104.
19. Stenlid, J, Kammiovirta, K, Karjalainen, R, Karlsson J-O, Korhonen, K, Solheim, H & Thomsen, I. 1998. Genetic variation among European S- and P-group populations of *Heterobasidion annosum* assessed by arbitrary priming. In: Delatour, C, Guillaumin, JJ, Lung-Escarmant, B, Marcais, B, Eds: Root and Butt Rots of Forest Trees. Proceedings of the 9<sup>th</sup> international conference on root and butt rot. INRA, France. pp 75-84.
20. Harrington, TC, Stenlid J & Korhonen, K. 1998. Evolution in the genus *Heterobasidion*. In: Delatour, C, Guillaumin, JJ, Lung-Escarmant, B, Marcais, B, Eds: Root and Butt Rots of Forest Trees. Proceedings of the 9<sup>th</sup> international conference on root and butt rot. INRA, France. pp 63-74.
21. Bendz-Hellgren, M & Stenlid, J. 1998. The establishment of *Heterobasidion annosum* spore infections on precommercial thinning-, thinning-, and clearcut stumps of Norway spruce. In: Delatour, C, Guillaumin, JJ, Lung-Escarmant, B, Marcais, B, Eds: Root and Butt Rots of Forest Trees. Proceedings of the 9<sup>th</sup> international conference on root and butt rot. INRA, France. pp 391-396.
22. Thor, M. & Stenlid, J. 1998. Root rot caused by *Heterobasidion annosum* following thinning and mechanised stump treatment. In: Delatour, C, Guillaumin, JJ, Lung-Escarmant, B, Marcais, B, Eds: Root and Butt Rots of Forest Trees. Proceedings of the 9<sup>th</sup> international conference on root and butt rot. INRA, France. pp 397-408.
23. Stenlid, J. 1998. Opening remarks. In: Delatour, C, Guillaumin, JJ, Lung-Escarmant, B, Marcais, B, Eds: Root and Butt Rots of Forest Trees. Proceedings of the 9<sup>th</sup> international conference on root and butt rot. INRA, France. pp13-17.
24. Olson Å & Stenlid, J. 2000. Functional units in root diseases: lessons from *Heterobasidion annosum*. In: Flood, J., Bridge, P.D. & Holderness, M. (Eds). *Ganoderma Diseases of Perennial Crops*. CABI, London, pp 139-156.
25. Vasiliauskas, R & Stenlid, J. 2000. Biology and structure of fungal populations of the wound complex in the stands of Norway spruce (*Picea abies* (L.) Karst.) [Biologija i struktury populiacij gribov ranevogo kompleksa v drevostojakh eli evropeiskoi (*Picea abies* (L.) Karst.)]. In: *Fungal Communities in Forest Stands [Gribnye Soobschestva Lesnykh Ekosistem]*. Edited by V.G. Storozhenko. Russian Academy of Sciences, Moscow - Petrozavodsk. Pp 76-133.
26. Capieau K, Stenström E & Stenlid J. 2002. Use of a microcosm system for biological screening against *Botrytis cinerea* in *Pinus sylvestris* seedlings. Proceedings of the European conference on Biological control. Proceedings of the seventh meeting of IOBC working group Biological control of Fungal and Bacterial Plant Pathogens, Kusadesi, Turkey 22-25 May, IOBC wprs Bulletin Vol.25 (10) pp. 383-386.
27. [Genetic evaluation of growth, external stem quality, wood density and sensitivity to root and butt rot in a \*L. eurolepis\* trial in South Sweden.](#)  
Author(s): Stener, L. G.; Stenlid, J.; Karlsson, B.  
Conference Information: **Improvement of larch (Larix sp.) for better growth, stem form and wood quality. Proceedings of an International Symposium, Gap (Hautes-Alpes) - Auvergne & Limousin, France, 16-21 September, 2002.**  
Source: **Improvement of larch (Larix sp.) for better growth, stem form and wood quality. Proceedings of an International Symposium, Gap (Hautes-Alpes) - Auvergne & Limousin, France, 16-21 September, 2002** Pages: 141-153 Published: 2002
28. Johannesson H & Stenlid J. 2003. Molecular markers reveal genetic isolation and phylogeography in the S and F intersterility groups of *Heterobasidion annosum*. Proceedings of the 10<sup>th</sup> international conference on root and butt rot. (Laflamme, G, Bérubé, JA & Bussières, G. eds.) ISBN 0-662-33332-2, Pp 231-237.
29. Asiegbu, FO, Nahalkova, J, Choi, W, Stenlid, J & Dean R. 2003. Analyses of selected ESTs from the *Heterobasidion annosum* - *Pinus sylvestris* pathosystem. Proceedings of the 10<sup>th</sup> international conference on root and butt rot. (Laflamme, G, Bérubé, JA & Bussières, G. eds.) ISBN 0-662-33332-2, Pp 260-266.

30. Abu, MS, Asiegbu, FO, Johannesson H & Stenlid J. 2003. Sequence polymorphism in laccase genes of S, P, & F types of *Heterobasidion annosum*. Proceedings of the 10<sup>th</sup> international conference on root and butt rot. (Laflamme, G, Bérubé, JA & Bussières, G. eds.) ISBN 0-662-33332-2, Pp 287-292.
31. Karlsson, M, Olson, Å & Stenlid J. 2003. Identification of pathogenicity genes in *Heterobasidion annosum* using Expressed Sequence Tags (ESTs). Proceedings of the 10<sup>th</sup> international conference on root and butt rot. (Laflamme, G, Bérubé, JA & Bussières, G. eds.) ISBN 0-662-33332-2, Pp 296- 297.
32. Ihrmark, K, Zheng, J Stenström, E & Stenlid, J. 2003. Presence of dsRNA in *Heterobasidion annosum*. Proceedings of the 10<sup>th</sup> international conference on root and butt rot. (Laflamme, G, Bérubé, JA & Bussières, G. eds.) ISBN 0-662-33332-2, Pp 297-298.
33. Lygis, V, Vasiliauskas, R, Stenlid J, & Vasiliauskas, A. 2003. Preliminary evaluation of Scots pine plantations "resistant" to *Heterobasidion annosum*. Proceedings of the 10<sup>th</sup> international conference on root and butt rot. (Laflamme, G, Bérubé, JA & Bussières, G. eds.) ISBN 0-662-33332-2, Pp 362-365.
34. Woodward, S, Stenlid J, Michelozzi, M, Solheim H, Karlsson, B & Tsopelas, P. 2003. RESROBS: Resistance of spruce to root and butt rot disease, an EU-funded research program. Proceedings of the 10<sup>th</sup> international conference on root and butt rot. (Laflamme, G, Bérubé, JA & Bussières, G. eds.) ISBN 0-662-33332-2, Pp 375-378.
35. Woodward, S, Pratt, JE, Pukkala, T, Spanos, KA, Niccolotti, G, Tomiczek, C, Stenlid, J, Marcais, B & Lakomy, P. 2003. MOHIEF:Modelling of *Heterobasidion* in European forests,an EU-funded research program. Proceedings of the 10<sup>th</sup> international conference on root and butt rot. (Laflamme, G, Bérubé, JA & Bussières, G. eds.) ISBN 0-662-33332-2, Pp 423-428.
36. Lygis V., Vasiliauskas R., Stenlid J. & Vasiliauskas A. 2003. Forest management against *Heterobasidion annosum*. In: *Forest Health Problems in Older Forest Stands. Proceedings of the Nordic/Baltic Forest Pathology Meeting, Denmark, September 2002* (Ed. I.M. Thomsen). Danish Forest and Landscape Research Institute, Horsholm, pp. 29-32.
37. Vasiliauskas R., Sunhede S. & Stenlid J. 2003. Distribution, status and biology of oak polypores in Baltic Sea region. In: *Forest Health Problems in Older Forest Stands. Proceedings of the Nordic/Baltic Forest Pathology Meeting, Denmark, September 2002* (Ed. I.M. Thomsen). Danish Forest and Landscape Research Institute, Horsholm, pp. 61-66.
38. Thor M, Möykkynen T, Pratt JE, Pukkala T, Rönnberg J, Shaw CG III, Stenlid J, Ståhl G & Woodward S. 2004. Modeling infection and spread of *Heterobasidion annosum* in coniferous forests in Europe. In: Bevers M, Barrett TM, (eds.) Systems Analysis in Forest Resources: Proceedings of the 2003 Symposium; October 7-9, Stevenson, WA. Proceedings RMRS-P-000. Ogden, UT. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, pp-105-111.
39. Stenlid, J, Santini, A, Vannini, A, Capretti, P & Vasiliauskas, R. 2007. FORTHREATS: European network on emerging diseases and invasive species threats to European forest ecosystems. In: IUFRO Unit 7.03.12 Monograph. Alien Invasive Species and International Trade. Eds. H.G. Evans and T Oszako. Forest Research Institute, Warsaw, Poland. 72-79.
40. Capieau, K, Pohanka, A, Stenlid, J and Stenström, E. 2007. Biological control of *Botrytis cinerea* in *Pinus sylvestris* seedlings in Swedish forest nurseries.. *Communicationes Instituti Forestalis Bohemicae*. 23:45
41. Menkis, A, Vasiliauskas, R, Taylor, A, Stenlid, J and Finlay, RD. 2007. Detection of fungi in fine conifer seedling roots in nurseries: Morphotyping, isolation and direct sequencing. *Communicationes Instituti Forestalis Bohemicae*. 23:122-128
42. Vasiliauskas, R, Menkis, A, Stenlid, J and Finlay, RD. 2007. Fungi associated with root decay of conifer seedlings in forest nurseries and afforested sites. *Communicationes Instituti Forestalis Bohemicae*. 23:160-165
43. Stenlid, J, Penttilä, R and Dahlberg, A. 2008. Wood decay basidiomycetes in boreal forests: distribution and community development. In *Ecology of Saprothrophic basidiomycetes*. Edited by L. Boddy, J C Frankland and P van West. Academic Press. Pp239-262.
44. Stenlid, J. 2008. Population biology of forest decomposer basidiomycetes. In *Ecology of Saprothrophic basidiomycetes*. Edited by L. Boddy, J C Frankland and P van West. Academic Press. Pp 105-122.
45. Karlsson, M; Stenlid, J. 2009. Comparative Evolutionary Histories of Fungal Chitinases. In: EVOLUTIONARY BIOLOGY: CONCEPT, MODELING, AND APPLICATION 12th Evolutionary Biology Meeting, Date: SEP 24-26, 2008 Marseilles FRANCE Pages: 323-337
46. van der Nest, MA.; Wingfield, BD.; Wingfield, MJ Stenlid, J Vasaitis, R Slippers, B. 2012. Genetics of Amylostereum Species Associated with Siricidae Woodwasps. In: The Sirex woodwasp and its fungal symbiont: research and management of a worldwide invasive pest. Edited by: Slippers, Bernard; de Groot, Peter; Wingfield, Michael John. Pages: 81-94.
47. Oliva, J Boberg JB Hopkins AJM Stenlid J. 2013. Concepts of epidemiology of forest diseases. In: Infectious forest diseases. Editor(s): Gonthier, P.; Nicolotti, G. Pages: 1-28 CABI.
48. Lind, M., Stenlid, J., Olson, Å. 2014. *Heterobasidion annosum* s.l. Genomics. Editor F. Martin. Advances in Botanical Research 371-396.

49. Cleary, M., Nguyen, D., Stener, L-G., Stenlid, J., and Skovsgaard, J-P. 2017. Ash and ash dieback in Sweden: A review of disease history, current status, pathogen and host dynamics, host tolerance and management options in forests and landscapes. In: *Fraxinus dieback in Europe: Consequences and Guidelines for Sustainable Management (FRAXBACK)* (Eds: Vasaitis, R., Enderle, R.). 195-208. SLU Service/Repro, Uppsala, Sweden.
50. Keskitalo, E. C. H., Strömberg, C., Pettersson, M., Boberg, J., Klapwijk, M.J., Palau, J. O., & Stenlid, J. 2018. Implementing Plant Health Regulations with Focus on Invasive Forest Pests and Pathogens: Examples from Swedish Forest Nurseries. In *The Human Dimensions of Forest and Tree Health* (pp. 193-210). Palgrave Macmillan, Cham.

### **In Swedish journals and books**

1. Stenlid, J. & Johansson, M. 1986. Det glömda hotet. *Skogseko* 7:2-3.
2. Stenlid, J. 1989. Rotrötans spridningsvägar. *Skogsfakta. Biologi och skogsskötsel* Nr. 61.
3. Stenlid, J. 1989. Rotröta - ett mångsidigt gissel. *Jordstjärnan* 10:5-11.
4. Stenlid, J. 1990. Hybridasp - skadesvamp. I: *Hybridaspodling på åkermark*. Hushållningssällskapet i Malmö, 24-29.
5. Stenlid, J. 1990. Exempel på vad rotrötan kan costa, 1+2. *Skogen* 2:32-33, 4:57.
6. Stenlid, J. 1990. Pensling reducerade angreppen. *Skogseko* oktober.
7. Stenlid, J. 1992. En tidsinställd bomb? *Skogen* 8:20.
8. Stenlid, J. 1992. Rotröta sprids på många sätt. *Skogen* 9:42-43.
9. Stenlid, J., Swedjemark, G. & Bendz, M. 1992. Sommargallring förödande! *Skogen* 9:43.
10. Stenlid, J. 1992. Ureabehandling lönar sig! *Skogen* 9:43-44.
11. Stenlid, J. & Swedjemark, G. 1992. Silvergrenan härdigast? Infektionskänslighet hos olika trädslag. *Skogen* 9:44-45.
12. Vollbrecht, G. & Stenlid, J. 1992. Även hybridlärk drabbas. *Skogen* 10:36.
13. Persson, J., Bendz, M. & Stenlid, J. 1992. Rotröta- biologi och förebyggande åtgärder. *Skogsarbeten* resultat: 2.
14. Johansson, M. & Stenlid J. 1994. Stoppa rötan på stubben! *Skogsfakta* 2.
15. Stenlid, J. 1994. Rotröta- aktuell forskning. *Skogsfakta konferens* 18:55-61.
16. Bendz-Hellgren, M & Stenlid, J. 1995. Rotröta minskar granens tillväxt. *Skog och Forskning* 2/95: 8-10.
17. Stenlid, J & Bendz-Hellgren, M. 1995. Kalkning ger mer rotröta. *Skog och forskning* 2/95:16-19.
18. Swedjemark, G, Stenlid, J & Karlsson, B. 1995 . Genvägar mot rotröta. *Skog och forskning* 2/95: 24-25
19. Stenlid, J, Swedjemark, G & Vollbrecht, G. 1995. Rotröta drabbar inte bara gran. *Fakta skog* 12.
20. Swedjemark, G, Stenlid, J & Karlsson, B. 1995. Kan förädling minska rotrötan hos gran? *Skogforsk* resultat 21.
21. Stenlid, J & Bendz, M. 1996. Påverkar kalkning granens känslighet för rotröta? I: *Skogsmarksalkning*. Resultat och slutsatser från Naturvårdsverkets försöksverksamhet. Naturvårdsverket, Stockholm. pp 187-191.
22. Thor, M, Granlund, P, Bendz-Hellgren, M & Stenlid, J. 1996. Stubbehandling med pergamentsvamp - klarar svampen värmen och trycket? *Skogforsk* resultat
23. Thor, M & Stenlid, J. 1998. Maskinell stubbehandling minskar rotröteangreppen. *Skogforsk*, resultat 4.
24. Thor, M & Stenlid, J. 1998. Mechanical stump treatment reduces the incidence of root rot. *Skogforsk*, results 4.
25. Stenlid, J. 1998. Rotröta hos gran - biologisk bekämpning i praktiken. *KSLA tidskrift* 137:21, 39-41.
26. Stenlid, J. 1999. Svampsidor på parkträd. *Trädbladet* 6(1):9-10.
27. Stenlid, J. 1999. Rotor på träd. *Trädbladet* 6(2) 18-19.
28. Stenlid, J., Rönnberg, J and Vollbrecht, G. 2000. Rutten forskning hjälper skogen. *Skog och forskning* 1/2000.
29. Stenlid, J. 2001. Värsta svampangreppen på flera år. *Skogseko* nr 2 2001 1-3.
30. Stener LG &Stenlid J. 2002. Metodtest av hybridaspkloners resistens mot Hypoxylonkräfta. *Skogforsk* Arbetsrapport 517:1-17.
31. Stenlid, J. 2002. Skogspatologi i förvandling. Fest skrift till Kåre Venn, Skogforsk, Norge.
32. Thor, M, Ståhl, G, Stenlid, J. 2004. Räkna med rotröta – nytt hjälpmittel för skoglig planering. *Skogforsk* Resultat nr 13 2004.
33. Thor, M., Ståhl, G., Stenlid, J. 2004. Model for predicting root rot. A new tool for forestry planning. *Skogforsk*, Results No. 5.
34. Thor,M, Arlinger, J & Stenlid, J. 2005. Stubbehandling mot rotröta lönsam - också i slutavverkning. *Skogforsk* Resultat nr 9 2005.
35. Thor,M, Arlinger, J & Stenlid, J. 2005. Stump treatment profitable in final felling too. Results from *Skogforsk* Results, no 3 2005.

36. Stenlid J. 2009. Var vaksam mot nya sorters svampangrepp. Skogseko, nummer 3 oktober, klimatbilaga p12.
37. Stenlid, J. 2009. Svampkadegörare i intensivodling av skog.
38. Stenlid, J. 2009. skadegörare. Skötselhandboken.
39. Johansson S, Stenlid, J, Barklund P, Vasaitis, R. 2009 Svampen bakom askskottsjukan – biologi och genetik. Fakta skog nr 3 2009.
40. Stenlid J. 2013. Askskottsjukan visar riskerna med global handel. I ”Svampar och Insekter” Future Forests SLU, Umeå.
41. Stenlid, J. ”Handla närproducerade växter!”. Intervju av Ulla Ahlgren för artikel i Miljötrender, sid. 30-31, augusti, 2014.
42. Stenlid, J. ”Skogens skadegörare kostar miljarder”. Intervju för artikel i Forskarbladet, 8 juni, 2014.
- 43.

### ***Editor***

1. Johansson, M. & Stenlid, J. 1994. Proceedings of the 8th international conference of root and butt rots. Wik, Sweden and Haikko, Finland August 9-16, 1993. pp 1-778.
2. Woodward, S, Stenlid, J, Karjalainen, R & Hüttermann, A. 1998. *Heterobasidion annosum* biology, ecology, impact and control. CAB International, Wallingford, UK.